




The cover features a background image of a retail store with clothing racks. The top left shows a rack of white hangers. The bottom right shows a rack of colorful shirts (pink, blue, and teal) and a table with folded jeans. The bottom left has a dark blue area with a repeating pattern of the IRSG logo. The overall design is modern and professional.

PRODUCT CATALOG

Inventory Processing
& Transport Solutions

Table of Contents	2	Carts	44
IRSG Overview	3	Sign Carts	
Hanger Management	4	Utility Carts	
Hanger Management Reference Guide		Bin Carts	
Hanger Bars		Merchandise Carts	
Sales Floor Freestanding Collection Racks		E-Commerce Order Picking Carts	
Cash Wrap Hanger Collection Racks		Sorting Carts	
Single Storage Starters & Add-On Racks		Visual Carts	
Double Storage Starters & Add-On Racks		Inventory Transfer Carts	
In-Store Transfer Racks		Transfer Carts	
Wall Mount Racks		Replenishment Carts	
Accessories/Replacement Parts		Processing Carts	
Work Tables	12	Mini Replenishment Carts	
Mobile Point of Sales Tables		Mail Service Carts	
ERGO Smart™ 27 Series		Mobile Packing Stations	
ERGO Smart™ 27-1 Series		Dolly Base Wire Carts	
ERGO Smart™ 28 Series		Small Mobile Wire Carts	
ERGO Smart™ 28-1 Series		Linen Carts	
ERGO Smart™ 32 Series		Stocking Carts	
ERGO Smart™ 32-1 Series		Merchandise Transfer Racks	
ERGO Smart™ 50 Series		Dual Rail Rack	
ERGO Smart™ 64 Series		Security Units	60
FTW Nesting Work Tables		Mobile Security Carts	
NTZ Work Stations		Mini Mobile Security Carts	
Value Line Tables		Heavy Duty Security Carts	
Collapsible Processing Tables		Stationary Security Cages	
Lightweight Tables		Mini Stationary Security Cages	
Ultra Lightweight Tables		Wire Shelving Systems	62
Rolling Racks	34	Mobile Wire Carts	
Lingerie/Specialty Racks		Stationary Starter Units	
Adjustable Hang Rail Racks		Stationary Add-On Units	
EZ Racks		Accessories	64
Fitting/Recovery Racks		Shelving Styles	
Folding Salesfloor Racks		Shelving Accesories	
Replenishment Racks		Replacement Parts	
Dual Hang Rail Racks		Bumpers	
RGR Z-Racks Series		Caster Upgrade Kits	
RGR2-350 Z-Racks Series		Casters	72
RGR2-550 Z-Racks Series		Warranty	74
Transporters	41	Terms & Conditions	75
Nesting Transporters			
Bulk Nesting Transporters			
Nesting Wire Transporters			



Customize. Optimize. Organize.

IRSG has been the industry leading provider of **Inventory Processing and Transport Solutions** since 1968, offering over 200 unique, flexible, and durable solutions for a vast array of retail needs. By offering such a wide range of products, IRSG allows you to find everything you need, all from one supplier. All of these products share the same goal: to successfully **streamline your business** from the back door to the sales floor in an efficient, organized approach.

IRSG offers a comprehensive range of solutions designed to streamline the processing and transportation of merchandise. In addition, we provide innovative **hanger management solutions** tailored to meet the unique needs of your business. Every IRSG product is crafted to **enhance the efficiency of your backroom operations**, helping you optimize workflow, reduce labor costs, and improve overall productivity.

Product Categories



Hanger Management



Work Tables




Rolling Racks



Transporters



Carts



Security Units



Wire Shelving



Accessories



Hanger Management Reference Guide

Designed to improve productivity, reduce labor costs, and enhance efficiency, the IRSG Hanger Management System has become the industry standard. Based on the Patented IRSG Hanger Bar, our system is available in 3 different sizes and features equipment to manage hangers throughout the processing cycle. Use the chart below to configure the ideal system for your specific needs.

	21" Hanger Bar System Model Numbers	24" Hanger Bar System Model Numbers	30" Hanger Bar System Model Numbers
Hanger Bars			
Economy Bar	HB-21	HB-24	HB-30
Standard Bar (w/ Clamp)	IHB-2100	IHB-2400	IHB-3000
Specialty Bar (Clamp w/ Foam)	IHB-2100B	IHB-2400B	IHB-3000B
Sales Floor Collection Racks			
CFR-30 Stationary Series	CFR-30A	CFR-30A	CFR-30A
CFR-30 Mobile Series	CFR-30A-M2, CFR-30A-M4	CFR-30A-M2, CFR-30A-M4	CFR-30A-M2, CFR-30A-M4
CFR-40 Stationary Series	CFR-40A	CFR-40A	CFR-40A
CFR-40 Mobile Series	CFR-40A-M2, CFR-40A-M4	CFR-40A-M2, CFR-40A-M4	CFR-40A-M2, CFR-40A-M4
CFR-50 Stationary Series	CFR-50A	CFR-50A	CFR-50A
CFR-50 Mobile Series	CFR-50A-M4	CFR-50A-M4	CFR-50A-M4
CFR-60 Mobile Series	CFR-6021M4	CFR-6024M4	CFR-6030M4
Back Mount Staging Racks			
Back Mount Staging Racks	SR-21	SR-24	SR-30
Collection Racks – Under Counter			
2 Bar Adjustable Under-Counter Rack	AC2	AC2	AC2
3 Bar Adjustable Under-Counter Rack	AC3	AC3	AC3
4 Bar Adjustable Under-Counter Rack	AC4	AC4	AC4
Retractable Rack	HBC-21	HBC-24	HBC-30
Fixed Under-Counter Rack (Custom Height)	INC-21C	INC-24C	INC-30C
24"H Fixed Under-Counter Rack	INC-2124	INC-2424	INC-3024
30"H Fixed Under-Counter Rack	INC-2130	INC-2430	INC-3030
Channel-Mount Rack	CMRD-21	CMRD-24	CMRD-30
Fixed Uprights Rack	INC-RODS	INC-RODS	INC-RODS
Transfer Equipment			
10 Bar In-Store Transfer Rack	ISTR-2110Z	ISTR-2410Z	ISTR-3010Z
18 Bar In-Store Transfer Rack	ISTR-21Z	ISTR-24Z	ISTR-30Z
Storage Equipment			
7' Single Storage Starter Rack	ISS-2107	ISS-2407	ISS-3007
7' Single Storage Add-On Rack	ISA-2107	ISA-2407	ISA-3007
10' Single Storage Starter Rack	ISS-2110	ISS-2410	ISS-3010
10' Single Storage Add-On Rack	ISA-2110	ISA-2410	ISA-3010
7' Double Storage Starter Rack	IDS-2107	IDS-2407	IDS-3007
7' Double Storage Add-On Rack	IDA-2107	IDA-2407	IDA-3007
10' Double Storage Starter Rack	IDS-2110	IDS-2410	IDS-3010
10' Double Storage Add-On Rack	IDA-2110	IDA-2410	IDA-3010

Hanger Bars

Hanger Bars are the heart of IRSG's Patented Hanger Management System. There are three style options available for each of the system sizes to help meet all of your unique needs.



21" SYSTEM

HB-21 Hanger Bar

The economy HB-21 Hanger Bar is used with 21" systems that do not require hangers to be secured to the bar while being transferred. Length of bar is 20.25"/514 mm.

IHB-2100 Hanger Bar

This is the industry standard Hanger Bar. Use in 21" systems where secure clamping of hangers to the bar is needed. Length of bar is 20.25"/514 mm.

IHB-2100B Hanger Bar

Foam backing on clamp makes this bar ideal for operations that use hangers of varying neck thickness. Use in 21" systems where secure clamping of hangers to the bar is needed. Length of bar is 20.25"/514 mm.

24" SYSTEM

HB-24 Hanger Bar

The economy HB-24 Hanger Bar is used with 24" systems that do not require hangers to be secured to the bar while being transferred. Length of bar is 23.75"/603 mm.

IHB-2400 Hanger Bar

This is the industry standard Hanger Bar. Use in 24" systems where secure clamping of hangers to the bar is needed. Length of bar is 23.75"/603 mm.

IHB-2400B Hanger Bar

Foam backing on clamp makes this bar ideal for operations that use hangers of varying neck thickness. Use in 24" systems where secure clamping of hangers to the bar is needed. Length of bar is 23.75"/603 mm.

30" SYSTEM

HB-30 Hanger Bar

The economy HB-30 Hanger Bar is used with 30" systems that do not require hangers to be secured to the bar while being transferred. Length of bar is 29.25"/743 mm.

IHB-3000 Hanger Bar

This is the industry standard Hanger Bar. Use in 30" systems where secure clamping of hangers to the bar is needed. Length of bar is 29.25"/743 mm.

IHB-3000B Hanger Bar

Foam backing on clamp makes this bar ideal for operations that use hangers of varying neck thickness. Use in 30" systems where secure clamping of hangers to the bar is needed. Length of bar is 29.25"/743 mm.

Sales Floor Freestanding Collection Racks

The CFR Series of Freestanding Collection Racks are ideal for capturing and sorting hangers at the cash wrap or transporting full hanger bars to the backroom storage and processing area. There are both stationary and mobile configurations available.

Features:

- 1" Square metal tubing with silver powder coat finish.
- Ships unassembled and is designed for easy assembly.
- Hanger bars are sold separately.



Our adjustable Collection Racks allow for 21", 24", or 30" hanger bars to be used on our CFR-30's, CFR-40's, and CFR-50's. Note that CFR-60's are not adjustable and must be ordered based on hanger bar size

21" SYSTEM

CFR-30A-M2

Capacity: 3 bars
Height: 31 1/4"
2" Casters Included

CFR-40A-M2

Capacity: 5 bars
Height: 42 1/2"
2" Casters Included

CFR-50A-M4

Capacity: 6 bars
Height: 55"
4" Casters Included

CFR-6021-M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

24" SYSTEM

CFR-30A-M2

Capacity: 3 bars
Height: 31 1/4"
2" Casters Included

CFR-40A-M2

Capacity: 5 bars
Height: 42 1/2"
2" Casters Included

CFR-50A-M4

Capacity: 6 bars
Height: 55"
4" Casters Included

CFR-6024M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

30" SYSTEM

CFR-30A-M2

Capacity: 3 bars
Height: 31 1/4"
2" Casters Included

CFR-40A-M2

Capacity: 5 bars
Height: 42 1/2"
2" Casters Included

CFR-50A-M4

Capacity: 6 bars
Height: 55"
4" Casters Included

CFR-6030M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

IRSG Collection Rack Options

IRSG offers a variety of sizes and styles for Freestanding Collection Racks, including both stationary and mobile configurations.

If you do not see an option that meets your specific needs, reach out to our team to learn about our custom hanger management solutions.

Stationary Collection Racks

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Bar Capacity	Hanger Per Bar*	Hanger Capacity*
21" System							
CFR-30A	18 x 22 5/8	457 x 575	29 1/4	743	3	45	135
CFR-40A	18 x 22 5/8	457 x 575	40 1/2	1029	5	45	225
CFR-50A	18 x 22 5/8	457 x 575	51	1295	6	45	270
24" System							
CFR-30A	18 x 26 1/4	457 x 667	29 1/4	743	3	55	165
CFR-40A	18 x 26 1/4	457 x 667	40 1/2	1029	5	55	275
CFR-50A	18 x 26 1/4	457 x 667	51	1295	6	55	330
30" System							
CFR-30A	18 x 31 1/2	457 x 800	29 1/4	743	3	70	210
CFR-40A	18 x 31 1/2	457 x 800	40 1/2	1029	5	70	350
CFR-50A	18 x 31 1/2	457 x 800	51	1295	6	70	420

*Estimates – actual capacity will vary depending on hanger styles. Levelers included.

Mobile Collection Racks

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Casters	Bar Capacity	Hanger Per Bar*	Hanger Capacity*
21" System								
CFR-30A-M2	18 x 22 5/8	457 x 575	31 1/4	794	2" Casters (2 Swivel/2 Brake)	3	45	135
CFR-30A-M4	18 x 22 5/8	457 x 575	33 1/4	794	4" Caster (2 Swivel/2 Brake)	3	45	135
CFR-40A-M2	18 x 22 5/8	457 x 575	42 1/2	1080	2" Casters (2 Swivel/2 Brake)	5	45	225
CFR-40A-M4	18 x 22 5/8	457 x 575	44 1/2	1080	4" Casters (2 Swivel/2 Brake)	5	45	225
CFR-50A-M4	18 x 22 5/8	457 x 575	55	1399	4" Casters (2 Swivel/2 Brake)	6	45	270
CFR-6021M4	20 x 22 3/4	508 x 578	66 3/8	1686	4" Casters (2 Swivel/2 Brake)	8	45	360
24" System								
CFR-30A-M2	18 x 26 1/4	457 x 667	31 1/4	743	2" Casters (2 Swivel/2 Brake)	3	55	165
CFR-30A-M4	18 x 26 1/4	457 x 667	33 1/4	743	4" Casters (2 Swivel/2 Brake)	3	55	165
CFR-40A-M2	18 x 26 1/4	457 x 667	42 1/2	1029	2" Casters (2 Swivel/2 Brake)	5	55	275
CFR-40A-M4	18 x 26 1/4	457 x 667	44 1/2	1029	4" Casters (2 Swivel/2 Brake)	5	55	275
CFR-50A-M4	18 x 26 1/4	457 x 667	55	1397	4" Casters (2 Swivel/2 Brake)	6	55	330
CFR-6024M4	20 x 26 3/8	508 x 670	66 3/8	1686	5" Casters (2 Swivel/2 Brake)	8	55	440
30" System								
CFR-30A-M2	18 x 31 1/2	457 x 800	31 1/4	743	2" Casters (2 Swivel/2 Brake)	3	70	210
CFR-30A-M4	18 x 31 1/2	457 x 800	33 1/4	743	4" Casters (2 Swivel/2 Brake)	3	70	210
CFR-40A-M2	18 x 31 1/2	457 x 800	42 1/2	1029	2" Casters (2 Swivel/2 Brake)	5	70	350
CFR-40A-M4	18 x 31 1/2	457 x 800	44 1/2	1029	4" Casters (2 Swivel/2 Brake)	3	70	350
CFR-50A-M4	18 x 31 1/2	457 x 800	55	1397	4" Casters (2 Swivel/2 Brake)	6	70	420
CFR-6030M4	20 x 31 3/8	508 x 797	66 3/8	1686	4" Casters (2 Swivel/2 Brake)	8	70	560

*Estimates – actual capacity will vary depending on hanger styles.

Cash Wrap Hanger Collection Racks

Adjustable Rack


The AC Racks consists of two extruded aluminum uprights, with adjustable hanger bar clips. Hanger Bars are sold separately.

The cash wrap opening inside clear width must be:

- 21 1/8" for 21" systems
- 24 5/8" for 24" systems
- 30 1/8" for 30" systems

Model #	Height (in)	Height (mm)
AC2	17 1/2	445
AC3	20 1/2	521
AC4	28 3/4	730

*Taller units can be made by ordering multiples of the above AC units.



Retractable Rack

HBC Racks allow for independent, glide-out access to each tier of hangers. Specify 1, 2, 3 or 4 for each opening depending on inside clear height available. Each HBC Rack holds one Hanger Bar sold separately. (Picture shown has 2 HBC Racks.) An optional add-on unit can be purchased; however this unit attaches to the HBC and both glide out simultaneously.

The size of the Hanger Bars are:

- 21" for 21" systems (HBC-21)
- 24" for 24" systems (HBC-24)
- 30" for 30" systems (HBC-30)

Model #	Width (in)	Width (mm)
HBC-21	21 5/8	551
HBC-21A	21 5/8	551
HBC-24	25 1/8	638
HBC-24A	25 1/8	638
HBC-30	30 5/8	778
HBC-30A	30 5/8	778



Fixed Racks

The Fixed Racks consists of an aluminum frame with Hanger Bar clips spaced to allow up to four Hanger Bars. The collection rack mounts to the inside top and bottom of the opening. Hanger Bars sold separately.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
INC-21C	20 11/16	525	Custom	
INC-2124	20 11/16	525	23 3/4	603
INC-2130	20 11/16	525	29 7/8	762
INC-24C	24 3/16	614	Custom	
INC-2424	24 3/16	614	23 3/4	603
INC-2430	24 3/16	614	29 7/8	762
INC-30C	29 11/16	754	Custom	
INC-3024	29 11/16	754	23 3/4	603
INC-3030	29 11/16	754	29 7/8	762

Channel-Mount Racks

CMRD Racks consist of upper and lower glides that house an extruded aluminum frame with continuous (every 3") nylon Hanger Bar clips on the uprights. Hanger Bars are sold separately. The rack glides in and out for easy access. Built to fit, the inside clear height of the cash wrap opening must be supplied when ordered.

The racks are designed for the following Hanger Bars:

- **CMRD-21:** HB-21, IHB-2100, or IHB-2100B Hanger Bars
- **CMRD-24:** HB-24, IHB-2400, or IHB-2400B Hanger Bars
- **CMRD-30:** HB-30, IHB-3000, or IHB-3000B Hanger Bars

Model #	W x D (in)	W x D (mm)
CMRD-21	18 x 20 11/16	457 x 527
CMRD-24	18 x 24 3/16	457 x 615
CMRD-30	18 x 29 11/16	457 x 755





Single Storage Starters & Add-On Racks



The IRSG Storage Rack System provides the most productive and efficient method of storing full Hanger Bars. Constructed of structural aluminum with continuous nylon hooks, each 7 ft column holds up to (12) bars and each 10 ft column holds up to (17) bars, which are sold separately. Designed to mount to a wall with the base resting on the floor. Both 7' and 10' heights are available.

Model #	D x W (in)	D x W (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity	
21" SYSTEM	ISS-2107	12 x 23	305 x 584	84	2134	12	45	540
	ISA-2107	12 x 21	305 x 533	84	2134	12	45	540
	ISS-2110	12 x 23	305 x 584	120	3048	17	45	765
	ISA-2110	12 x 21	305 x 533	120	3048	17	45	765
24" SYSTEM	ISS-2407	12 x 26 1/2	305 x 673	84	2134	12	55	660
	ISA-2407	12 x 24 1/2	305 x 622	84	2134	12	55	660
	ISS-2410	12 x 26 1/2	305 x 673	120	3048	17	55	935
	ISA-2410	12 x 24 1/2	305 x 622	120	3048	17	55	935
30" SYSTEM	ISS-3007	12 x 31 3/4	305 x 806	84	2134	12	70	840
	ISA-3007	12 x 29 3/4	305 x 755	84	2134	12	70	840
	ISS-3010	12 x 31 3/4	305 x 806	120	3048	17	70	1190
	ISA-3010	12 x 29 3/4	305 x 755	120	3048	17	70	1190

Double Storage Starters & Add-On Racks

Constructed of structural aluminum with continuous “Zytel” nylon hooks, each 7 ft starter and add-on holds up to (24) bars and each 10 ft column holds up to (34) bars, which are sold separately. Designed to mount to a wall with the base resting on the floor. Both 7' and 10' heights are available.

Model #	D x W (in)	D x W (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity	
21" SYSTEM	IDS-2107	31 x 23	784 x 584	84	2134	24	45	1080
	IDA-2107	31 x 21	784 x 533	84	2134	24	45	1080
	IDS-2110	31 x 23	784 x 584	120	3048	34	45	1530
	IDA-2110	31 x 21	784 x 533	120	3048	34	45	1530
24" SYSTEM	IDS-2407	31 x 23	784 x 584	84	2134	24	55	1320
	IDA-2407	31 x 21	784 x 533	84	2134	24	55	1320
	IDS-2410	31 x 23	784 x 584	120	3048	34	55	1870
	IDA-2410	31 x 21	784 x 533	120	3048	34	55	1870
30" SYSTEM	IDS-3007	31 x 31 3/4	784 x 806	84	2134	24	70	1680
	IDA-3007	31 x 29 3/4	784 x 755	84	2134	24	70	1680
	IDS-3010	31 x 31 3/4	784 x 806	120	3048	34	70	2380
	IDA-3010	31 x 29 3/4	784 x 755	120	3048	34	70	2380



In-Store Transfer Racks

Use In-Store Transfer Racks (ISTR) to collect full Hanger Bars at the cash wrap and transport them to the storage/processing area of the backroom. These racks are also ideal for mobile backroom storage, when wall space is not available for fixed storage racks. Hanger Bars are sold separately.



Model #	D x W (in)	D x W (mm)	Height (in)	Height (mm)
ISTR-2110Z	20 x 22 3/8	508 x 571	46	1168
ISTR-2410Z	20 x 26	508 x 660	46	1168
ISTR-3010Z	20 x 31 1/4	508 x 794	46	1168

21" Systems:

- ISTR-2110Z holds (10) 21" hanger bars
- ISTR-21Z holds (18) 21" hanger bars

24" Systems:

- ISTR-2410Z holds (10) 24" hanger bars
- ISTR-24Z holds (18) 24" hanger bars

30" Systems:

- ISTR-3010Z holds (10) 30" hanger bars
- ISTR-30Z holds (18) 30" hanger bars



Model #	D x W (in)	D x W (mm)	Height (in)	Height (mm)
ISTR-21Z	20 x 22 3/8	508 x 571	77	1956
ISTR-24Z	20 x 26	508 x 660	77	1956
ISTR-30Z	20 x 31 1/4	508 x 794	77	1956

Wall-Mount Racks

The SB-5 is designed to hold five Hanger Bars and the SB-8 is designed to hold eight Hanger Bars, which are sold separately. When used for backroom hanger storage, these racks are ideal for limited height or "dead space" locations such as above receiving doors, work tables, etc. Multiple columns of storage can be created as each upright is clipped on both sides. The Wall-Mount Rack can be installed at the cash wrap and then used for hanger capture and organization.



SB-8



SB-5

Model #	Depth (in)	Depth (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar
SB-5	19	483	29 1/2	750	5	45
SB-8	19	483	49 7/8	1266	8	45

Accessories/Replacement Parts



Hanger Picker Bar HPB

Used to retrieve individual hung goods from high locations.



Hanger Bar Retriever HBR


Use to place or retrieve full hanger bars from higher storage locations.

13"W x 65 1/2"L



Screw In Clip 21010

Used on AC Adjustable & INC In-Counter Racks; HBC Hanger Bar Caddies



Push In Clip 21013

Used on CFR Collection Racks; ISTR In Store Transfer Racks; SB-5 & SB-8 Wall Mount Racks; Staging Racks on ERGO Tables



12" Nylon Strip of Hooks 21015

Used on ISS & ISA; IDS & IDA Wall Mount Racks; CMRD Channel Mount Racks

Mobile Point of Sales (MPOS) Tables

Mobile Point of Sales (MPOS) Tables are perfect for those busy seasons throughout the year when you need additional check-out areas. By allowing employees to remove and organize sensor tags and/or hangers, and perform other merchandising tasks, they vastly improve the speed and efficiency of the checkout process. These MPOS units are fully customizable to meet your exact needs.



MPOS-27 (Custom)

- Dimensions: 21 1/4" D x 25.2" W (47 1/2" W with drop leaves extended) x 35" - 42" height adjustable
- Space saving folding leaves – reduce footprint
- Standard finish – Black
- Options available include bins, drawers, middle & bottom shelves, two compartment organizer bin
- Ships assembled



MPOS-28

- Dimensions: 24"D x 26"W (54"W with drop leaves extended) x 35"- 42"height adjustable
- 4" casters, two with total lock brake
- Three compartment organizer bin
- Power/data cable grommet is optional. Location must be specified when ordering.
- Locking drawer
- Wire-grid bottom shelf for bag/box storage
- Standard finish – Black
- Call for custom design or finish
- Ships assembled



MPOS-28-REG

- Dimensions: 24"D x 26"W (54"W with drop leaves extended) x 35"- 42" height adjustable
- 4" casters, two with total lock brake
- Locking drawer
- Solid bottom shelf for bag/box storage
- Standard finish - Black
- Call for custom design or finish
- Ships assembled

Invest in a more productive and ERGO-nomic environment with ERGO-Smart™ adjustable-height tables!



ERGO Smart™ 27 Series

Ingenious and innovative, the ERGO-Smart™ mobile table improves productivity, increases safety and reduces repetitive strain and other workplace injuries. Patented technology allows easy adjustment of table height in one-inch increments from 35” to 42”. No tools or disassembly required. Simply pull the pin on each leg, adjust to desired height and release the pin. The 27 Series is ideal for folding, recovery, signing, pricing, and other on-floor tasks. Our most popular configurations are shown on the following pages or call us to configure a table that best meets your requirements.

Features:

- Height adjustable 35” – 42”
- Dual folding leaves provide 46”W work surface
- Footprint is 20”D x 18”W
- 4” non-marring casters, two with brakes
- Square steel-tube construction
- Laminated work surface
- Ships assembled: Simply attach casters and drop leaves

ERGO Smart™ 27 Series Popular Configurations

IRSG’s ERGO-nomically engineered products create safer workplaces by reducing the potential of repetitive strain injuries. Other benefits include increased productivity, resulting in lower labor costs. These products also assist in establishing a proactive basis for managing the liability exposure of your company.

These models are our most popular configurations. If you don’t see a table that meets your needs, give us a call and we will assist you in configuring a table to provide the maximum benefits for your company.

Top Selling Configurations

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
ERGO-27-K1	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K2	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K3	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K4	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K5	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K6	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K7	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K8	20 x 18	508 x 457	35 – 42	889 – 1067
ERGO-27-K9	20 x 18	508 x 457	35 – 42	889 – 1067

ERGO Smart™ 27 Series



ERGO-27-K1

Includes the following:

- Dual folding leaves
- 4" non-marring casters, two with brakes



ERGO-27-K2

Includes the following:

- Dual folding leaves
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K3

Includes the following:

- Dual folding leaves
- Middle shelf
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K4

Includes the following:

- Dual folding leaves
- Organizer bin – 2 sections
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K5

Includes the following:

- Dual folding leaves
- Organizer bin – 1 section
- Bottom shelf
- Trash Bag holder
- 4" non-marring casters, two with brakes



ERGO-27-K6

Includes the following:

- Dual folding leaves
- Organizer bin – 2 sections
- Hang bar
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K7

Includes the following:

- Dual folding leaves
- Roll tag bar
- Organizer bin – 2 sections
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K8

Includes the following:

- Dual folding leaves
- Drawer w/ lock
- Bottom shelf
- 4" non-marring casters, two with brakes



ERGO-27-K9

Includes the following:

- Dual folding leaves
- 2 Drawers w/ lock
- Bottom shelf
- 4" non-marring casters, two with brakes

**ERGO Smart™ 27-1 Series
Popular Configurations**

IRSG’s ERGOnomically engineered products create safer workplaces by reducing the chances of repetitive strain injuries. Other benefits are increased productivity, resulting in lower labor costs. These products also assist in establishing a proactive basis for managing the liability exposure of your company.

These models are our most popular configurations. If you don’t see a table that meets your needs, give us a call and we will assist you in configuring a table to provide the maximum benefits for your company.

Top Selling Configurations

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
ERGO-27-1-K1	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-27-1-K2	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-27-1-K3	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-27-1-K4	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-27-1-K5	20 x 26	508 x 660	35 – 42	889 – 1067

ERGO Smart™ 27-1 Series
Product Features:

- Height adjustable, 35” – 42”
- 20”D x 26”W work surface
- Footprint is 20”D x 26”W
- 4” non-marring casters, two with brake
- Square steel-tube construction
- Laminated work surface
- Ships assembled: Simply attach casters



ERGO-27-1-K1

- Includes the following:
- 20” x 26” work surface
 - 4” non-marring casters, two with brakes



ERGO-27-1-K2

- Includes the following:
- 20” x 26” work surface
 - Middle & bottom shelf
 - 4” non-marring casters, two with brakes



ERGO-27-1-K3

- Includes the following:
- 20” X 26” work surface
 - Drawer w/ lock
 - Bottom shelf
 - 4” non-marring casters, two with brake



ERGO-27-1-K4

- Includes the following:
- 20” x 26” work surface
 - 2 drawers w/ lock
 - Bottom shelf
 - 4” non-marring casters, two with brakes



ERGO-27-1-K5

- Includes the following:
- 20” x 26” work surface
 - Bottom shelf
 - 4” non-marring casters, two with brake

ERGO Smart™ 27 & 27-1 Series Accessories

Build your custom table by selecting the options that meet your needs.



ERGO-27
Base Model Shown



ERGO-27-1
Base Model Shown



EDL20
Dual Folding Leaves



S27A-B
Bottom Shelf




S27-B
Middle Shelf




ERGO-D27
Locking Drawer



ERGO-D27
Additional Drawer



OB2-B
Organizer Bin
(2 compartments)



OB2X-B
Organizer Bin
(1 compartment)



PB-M27I
Roll Tag Bar



TBH
Trash Bag Holder



TA
Telescoping Arm



HBT
Hang Bar

Invest in a Safer and More Productive Environment
with ERGO-Smart™ Adjustable Height Tables!

**ERGO Smart™
Adjustable Height Tables**

Patent #US D549,494 S

Allows for easy adjustment of the table height in one-inch increments from 35" to 42" preventing your employees from "making do" with tables that work against their productivity efforts.

Combine this with other valuable features and you invest in a safer and more productive environment for your employees.

Our most popular configurations are shown on the following pages or call us to configure a table that best suits your needs.



ERGO Smart™ 28 Series

ERGO-Smart™ mobile tables help improve productivity and increase safety. Patent-pending technology allows easy adjustment of the table height in one-inch increments from 35" to 42".

Ideal for folding, recovery, signing/pricing, and other backroom tasks. This family of mobile worktables can accommodate staging racks for 21" or 24" Hanger Management Systems in addition to a variety of other accessories. Our most popular configurations are shown on the following pages.

Features:

- Adjustable height: 35" – 42"
- Dual folding leaves provide 54" wide work surface
- 20"D x 26"W footprint
- 4" non-marring casters, two with brake
- Square steel-tube construction
- Laminated work surface
- Ships assembled – Simply install caster and drop leaves

Top Selling Configurations

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
ERGO-28-K1	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K2	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K3	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K4	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K5	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K6	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K7	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K8	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K9	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K10	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K11	20 x 26	508 x 660	35 – 42	889 – 1067
ERGO-28-K12	20 x 26	508 x 660	35 – 42	889 – 1067

ERGO Smart™ 28 Series Popular Configurations

These are our most popular ERGO-28 configurations. If you don't see a table that meets your needs, give us a call and we will help you configure a table to provide maximum benefits in your environment.



ERGO-28-K1

Includes the following:

- Dual folding leaves
- 4" non-marring casters, two with brake



ERGO-28-K2

Includes the following:

- Dual folding leaves
- Bottom shelf
- 4" non-marring casters, two with brake



ERGO-28-K3

Includes the following:

- Dual folding leaves
- Middle & bottom shelf
- 4" non-marring casters, two with brake



ERGO-28-K4

Includes the following:

- Dual folding leaves
- Organizer bin – 3 compartments
- Bottom shelf
- 4" non-marring casters, two with brake



ERGO-28-K5

Includes the following:

- Dual folding leaves
- Organizer bin – 3 compartments
- Bottom shelf
- Trash bag holder
- 4" non-marring casters, two with brake



ERGO-28-K6

Includes the following:

- Dual folding leaves
- Organizer bin – 3 compartments
- Hang bar
- Bottom shelf
- 4" non-marring casters, two with brake

**ERGO Smart™ 28 Series
Popular Configurations**

(continued)



ERGO-28-K7

Includes the following:

- Dual folding leaves
- Roll tag bar
- Organizer bin – 3 compartments
- Bottom shelf
- 4” non-marring casters, two with brake



ERGO-28-K8

Includes the following:

- Dual folding leaves
- Drawer w/ lock
- Bottom shelf
- 4” non-marring casters, two with brake



ERGO-28-K9

Includes the following:

- Dual folding leaves
- 2 drawers w/ lock
- Bottom shelf
- Telescoping arm
- 4” non-marring casters, two with brake



ERGO-28-K10

Includes the following:

- Dual folding leaves
- Bin rack w/ 4 bins
- 4” non-marring casters, two with brake



ERGO-28-K11 | ERGO-28-K13

Includes the following:

- Dual folding leaves
- ERGO-28-K11 includes staging rack for 24” hanger bars
- ERGO-28-K13 includes staging rack for 21” hanger bars
- Hanger bars sold separately
- 4” non-marring casters, two with brake



ERGO-28-K12

Includes the following:

- Dual folding leaves
- Bin rack w/ 4 bins
- Bottom shelf
- 4” non-marring casters, two with brake

ERGO Smart™ 28-1 Series

IRSG's ERGOonomically engineered products create safer workplaces by reducing the chances of repetitive strain injuries. Other benefits are increased productivity, resulting in lower labor costs. These products also assist in establishing a proactive basis for managing the liability exposure of your company.

These models are our most popular configurations. If you don't see an option that meets your needs, give us a call and we will configure a table that provides the maximum benefit for your company.

Top Selling Configurations

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
ERGO-28-1-K1	20 x 40	508 x 1016	35 – 42	889 – 1067
ERGO-28-1-K2	20 x 40	508 x 1016	35 – 42	889 – 1067
ERGO-28-1-K3	20 x 40	508 x 1016	35 – 42	889 – 1067
ERGO-28-1-K4	20 x 40	508 x 1016	35 – 42	889 – 1067
ERGO-28-1-K5	20 x 40	508 x 1016	35 – 42	889 – 1067

ERGO Smart™ 28-1 Series

Product Features:

- Height adjustable, 35" – 42"
- 20"D x 26"W work surface
- 20"D x 40"W footprint
- 4" non-marring casters, two with brake
- Square steel-tube construction
- Laminated work surface
- Ships assembled: Simply attach casters



ERGO-28-1-K1

Includes the following:

- 20" x 40" work surface
- 4" non-marring casters, two with brake



ERGO-28-1-K2

Includes the following:

- 20" x 40" work surface
- Bottom & middle shelf
- 4" non-marring casters, two with brake



ERGO-28-1-K3

Includes the following:

- 20" x 40" work surface
- Locking drawer
- Bottom shelf
- 4" non-marring casters, two with brake



ERGO-28-1-K4

Includes the following:

- 20" x 40" work surface
- 2 locking drawers
- Bottom shelf
- 4" non-marring casters, two with brake



ERGO-28-1-K5

Includes the following:

- 20" x 40" work surface
- Bottom shelf
- 4" non-marring casters, two with brake

ERGO Smart™ 28 & 28-1 Series Accessories

Build your custom table by selecting the options that meet your needs.



ERGO-28
Base Model Shown




ERGO-28-1
Base Model Shown



EDL20
Dual Folding Leaves



S28A-G
Bottom Shelf



S28-GRID
Grid Bottom Shelf




S28-G
Middle Shelf



TA
Telescoping Arm




ERGO-D28
Locking Drawer



ERGO-D28
Additional Drawer



OB3-G
Organizer Bin
(3 compartment)



PB-M28I
Roll Tag Bar



TBH
Trash Bag Holder



HBT
Hang Bar



STAGING RACKS

Back Mount Staging Racks:
SR-21: Staging Rack for 21" Hanger Bars
SR-24: Staging Rack for 24" Hanger Bars

ERGO Smart™ 32 Series

IRSG's patented technology allows for easy ERGOmic height adjustments and heavy-duty construction provides years of service. This versatile table helps improve productivity while reducing the risk of work related injuries.

Ideal for on-floor or backroom merchandise processing, this family of mobile worktables can accommodate staging racks for 21", 24" or 30" Hanger Management Systems, in addition to a variety of other accessories.

Features:

- Adjustable height: 35" – 42"
- Dual folding leaves provide 68"W work surface
- 26"D x 32"W Footprint
- 4" Non-marring casters; two with brakes
- Square steel-tubing construction
- Laminated work surface
- Ships assembled; simply install caster and drop leaves



ERGO-32-K4

The ERGO-32 Family of Mobile Work Tables are ideal for backroom or on the floor processing applications!

ERGO-32-K1

Table Shown Includes:

- Dual Folding Leaves – EDL26
- 4" Non-Marring Casters, Two With Brake



ERGO-Smart™ 32 Series

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
ERGO-32-K1	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K2	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K3	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K4	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K5	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K6	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K7	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K8	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K9	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K10	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K11	26 x 32	660 x 813	35 – 42	889 – 1067
ERGO-32-K12	26 x 32	660 x 813	35 – 42	889 – 1067

ERGO Smart™ 32 Series Popular Configurations

IRSG's ERGOnomically engineered products create safer workplaces by reducing the chances of repetitive strain injuries. Other benefits are increased productivity, resulting in lower labor costs. These products also assist in establishing a proactive basis for managing the liability exposure of your company. These models are our most popular configurations. If you don't see one that meets your needs, we can help you configure a custom table that provides the maximum benefits for your environment.



ERGO-32-K1

Includes the following:

- Dual folding leaves
- 4" Non-marring casters, two with brake



ERGO-32-K2

Includes the following:

- Dual folding leaves
- Bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-K3

Includes the following:

- Dual folding leaves
- Middle & bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-K4

Includes the following:

- Dual folding leaves
- Organizer bin (4 compartments)
- Bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-K5

Includes the following:

- Dual folding leaves
- Organizer bin (4 compartments)
- Bottom shelf
- Trash bag holder
- 4" Non-marring casters, two with brake



ERGO-32-K6

Includes the following:

- Dual folding leaves
- Organizer bin (4 compartments)
- Hang bar
- Bottom shelf
- 4" Non-marring casters, two with brake

ERGO Smart™ 32 Series Popular Configurations
(continued)



ERGO-32-K7

Includes the following:

- Dual folding leaves
- Roll tag bar
- Organizer bin (4 compartments)
- Bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-K8

Includes the following:

- Dual folding leaves
- Drawer w/ lock
- Bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-K9

Includes the following:

- Dual folding leaves
- 2 Drawers w/ lock
- Telescoping arm
- Bottom shelf
- 4" Non-marring casters, two with brake



**ERGO-32-K10 | ERGO-32-K11
ERGO-32-K12**

Includes the following:

- Dual folding leaves
- Organizer bin (4 compartments)
- Bottom shelf
- Staging rack
- 4" Non-marring casters, two with brake
- Hanger bars are sold separately

Model #	Staging Rack
ERGO-32-K10	30"
ERGO-32-K11	24"
ERGO-32-K12	21"

ERGO-Smart™ 32-1 Series

ERGO-Smart™ 32-1 Work Tables are available in a variety of sizes and configurations to meet all of your needs. Contact our team to learn how to configure a custom table.

Features:

- Adjustable height: 35" – 42"
- 26"D x 48"W Work surface
- 26"D x 48"W Footprint
- 4" Non-marring casters; two with brakes
- Square steel-tube construction
- Laminated work surface
- Ships assembled; simply attach casters and drop leaves

ERGO-Smart™ 32-1 Series

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
ERGO-32-1-K1	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K2	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K3	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K4	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K5	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K6	26 x 48	660 x 1219	35 – 42	889 – 1067
ERGO-32-1-K7	26 x 48	660 x 1219	35 – 42	889 – 1067

Popular Configurations



ERGO-32-1-K1

Includes the following:

- 26" x 48" Work surface
- 4" Non-marring caster, two with brake



ERGO-32-1-K2

Includes the following:

- 26" x 48" Work surface
- Bottom & middle shelf
- 4" Non-marring caster, two with brake



ERGO-32-1-K3

Includes the following:

- 26" x 48" Work surface
- Locking drawer & bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-1-K4

Includes the following:

- 26" x 48" Work surface
- 2 Locking drawers
- Bottom shelf
- 4" Non-marring casters, two with brake



ERGO-32-1-K5 | ERGO-32-1-K6 | ERGO-32-1-K7

Includes the following:

- 26" x 48" Work surface
- 4 Compartment organizer bin
- Bottom shelf & hanger bar staging rack
- 4" Non-marring casters, two with brake
- Hanger bars are sold separately

Model #	Staging Rack
ERGO-32-1-K5	30"
ERGO-32-1-K6	24"
ERGO-32-1-K7	21"

ERGO Smart™ 32 & 32-1 Series Accessories

Build a custom table by selecting the options that best suit your requirements



ERGO-32
Base Model Shown



ERGO-32-1
Base Model Shown



EDL26
Dual Folding Leaves
(For ERGO-32 Only)




S32A-G
Bottom Shelf



S32-G
Middle Shelf




ERGO-D32
Locking Drawer




ERGO-D32
Additional Drawer



OB4-G
4 Compartment Organizer Bin



PB-M32I
Roll Tag Bar



TBH
Trash Bag Holder



TA
Telescoping Arm



HBT
Hang Bar



STAGING RACKS

Back Mount Staging Racks:

- SR-21: Staging Rack for 21" Hanger Bars
- SR-24: Staging Rack for 24" Hanger Bars
- SR-30: Staging Rack for 30" Hanger Bars

ERGO Smart™ 50 Series

The ERGO-Smart™ 50 Series is ideal for folding, hanging and other backroom processing functions. The patented technology allows for ERGOnomic height adjustments from 35" to 40". Mobility and versatility are an added bonus with this unique processing center.

Features:

- Height adjusts in minutes with no tools required; 1" increments from 35" to 40"
- 26"D x 51"W Footprint
- Dual folding leaves provide 87" wide work surface
- Heavy-duty 4" non-marring casters, two with brake
- Sturdy square steel-tube construction
- Laminated work surface
- Patent #US D549,494 S
- Ships assembled with some minimal assembly required



Popular Configurations



ERGO-50-K1

- Includes the following:
- Wire grid bottom shelf
 - Heavy-duty 4" non-marring casters; 2 with brake



ERGO-50-K2

- Includes the following:
- Wire grid bottom shelf
 - Dual folding leaves
 - Heavy-duty 4" non-marring casters; 2 with brake



ERGO-50-K3

- Includes the following:
- Wire grid bottom shelf
 - Wire grid middle shelf
 - Dual folding leaves
 - Heavy-duty 4" non-marring casters; 2 with brake



ERGO-50-K4

- Includes the following:
- Wire grid bottom shelf
 - Wire grid middle shelf
 - Dual folding leaves
 - Trash bag holder
 - Heavy-duty 4" non-marring casters; 2 with brake



ERGO-50-K5

- Includes the following:
- Wire grid bottom shelf
 - Dual folding leaves
 - Bin rack with 4 sorting bins with dividers
 - Heavy-duty non-marring casters; 2 with brake



ERGO-50-K6

- Includes the following:
- Wire grid bottom shelf
 - Dual folding leaves
 - Tower & roll tag bar
 - Heavy-duty 4" non-marring casters; 2 with brake
 - Hanger bars sold separately. Holds (4) 21" or 24" bars



ERGO-50-K7

- Includes the following:
- Wire grid bottom shelf
 - Wire grid middle shelf
 - Dual folding leaves
 - Bin rack with 8 sorting bins with dividers



ERGO-50-K8

- Includes the following:
- Wire grid bottom & middle shelf
 - Dual folding leaves & roll tag bar
 - 8 sorting bins with dividers
 - Trash bag holder & tower
 - Hanger bars sold separately. Holds (4) 21" or 24" bars



ERGO-50
Base Model Shown

ERGO Smart™ 50 Series Accessories

The options below can be used to configure an ERGO-50 table to meet your specific requirements. Contact us with any questions or if you need assistance in designing a table.




TBH
Trash Bag Holder




EDL26
Dual Folding Leaves



PB-M50I
Roll Tag Bar



S50A-G
Wire Grid Middle Shelf



OB6-G
6 Compartment Organizer Bin



ERGO-50-BINRACK
Double-Rail Bin Rack
(8 Sorting Bins w/ Dividers
Sold Separately)



ERGO-50-TWR
Hanger Bar Tower (Holds (4) 21" or 24" hanger bars, sold separately)



ERGO50-4B
4 Sorting Bins w/ Dividers



ERGO50-8B
8 Sorting Bins w/ Dividers

ERGO Smart™ 64 Series

This large workstation organizes all processing functions within a central location. A full range of options allows you to configure the workstation for your specific needs. ERGOnomically designed, the work surface height can be adjusted to accommodate various tasks or requirements.

Features:

- ERGO-64: 32" – 38" Adjustable height
- 30" D x 64" W Footprint
- 4" Heavy-duty non-marring casters, two with brake
- Dual folding leaves provide 100" wide work surface
- Steel frame constructed with 1 1/2" angle iron and steel plating
- Hanger bars used on tower are sold separately. Tower holds (4) 21", 24" or 30" hanger bars.
- Laminated work surface
- Ships assembled with some minimal assembly required



ERGO-64
Base Model

ERGO Smart™ 64 Series Accessories




TBH
Trash Bag Holder




ESL26-64
Single Folding Leaf




EDL26-64
Dual Folding Leaves



ERGO64-GS
Wire Grid Bottom Shelf



ERGO64-OB4
Organizer Bin 4 Compartment
(Additional OB4-G can be added to make 8 bins across using item #ERGO64-OB4-2)



ERGO64-D13
Metal Drawer



ERGO-64-TWR
Hanger Bar Tower (Holds (4) 21", 24" or 30" hanger bars sold separately)



ERGO64-4B
4 Sorting Bins w/ Dividers



ERGO64-8B
8 Sorting Bins w/ Dividers

FTW Nesting Work Tables

The FTW family of Nesting Work Tables is ideal for on-floor merchandising tasks such as folding, recovery, pricing and signing. Ideal for processing within departments and perfect for environments where floor space is at a premium. Five tables nest in only 30" when not in use.

Features:

- FTW "A": Height - 39 1/2"
- FTW "B": Height - 35"
- 4" Non-marring casters, two with brake
- Processing surfaces available in a variety of sizes
- FTW-24 models accommodate up to (2) 24" hanger bars.
- FTW-30 models accommodate up to (2) 30" hanger bars
- Ships assembled



FTW-24 Models

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
FTW-24A	20 x 26	508 x 660	39 1/2	1003
FTW-24A4	20 x 40	508 x 1016	39 1/2	1003
FTW-24B	20 x 26	508 x 660	35	889
FTW-24B4	20 x 40	508 x 1016	35	889

FTW-30 Models

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
FTW-30A	20 x 32	508 x 660	39 1/2	1003
FTW-30A4	20 x 40	508 x 1016	39 1/2	1003
FTW-30B	20 x 32	508 x 660	35	889
FTW-30B4	20 x 40	508 x 1016	35	889

Accessories



Template Holder

Use to store folding boards or templates when not in use

Model #:

- FTW-TH



Telescoping Arm

Use for hangers and hung goods while processing. Retracts when not in use. Available for use with FTW-24A, FTW-24B, FTW-30A, and FTW-30B only.

Model #:

- TA



Shelf

Use for the storage of processing accessories. Shelf nests when it is not in use.

Model #:

- FTW-S24 for FTW-24 tables
- FTW-S30 for FTW-30 tables



Hanger Bar

Able to fit up to 2 hanger bars below work surface. FTW-24 models hold 24" bars and FTW-30 models hold 30" bars.

Model #:

- HB-24: 24" hanger bar, no clamp or foam
- IHB-2400: 24" hanger bar with clamp
- IHB-2400B: 24" hanger bar with clamp & foam
- HB-30: 30" hanger bar, no clamp or foam
- IHB-3000: 30" hanger bar with clamp
- IHB-3000 B: 30" hanger bar with clamp & foam



NTZ Work Stations

Easy to maneuver and durable, this versatile table provides 10 square feet of processing surface while saving valuable space when not in use. Great for setting up mobile processing lines, 7 NTZ Tables nest in only 5 feet. Adjusts with ease from nesting to working position in just seconds.

Features:

- 7 Tables nest in 5 feet
- Height 35”
- Processing surface is 24" D x 60" W
- Heavy-duty 5” non-marring casters, two with brake
- Patented locking directional caster is available
- Steel base and frame
- Durable laminated surface
- Bumpers sold as an add on option
- Ships assembled

Model #	D x W (in)	D x W (mm)	Height (in) (mm)	
NTZ	24 x 63 Base	610 x 1600	35	889

NTZ Work Station Accessories



NTZ
Base Model



NTZ-60-TWR
NTZ-60 Table with Tower. Tower holds (4) 21", 24", or 30" hanger bars and (4) bins with dividers all sold separately.



NTZ-TWR
Hanger Tower for NTZ. (4) 21", 24" or 30" hanger bars and (4) bins with dividers sold separately.



NTZ-BINRACK
Bin Rack for NTZ. Bins with dividers sold separately.



NTZ-B
(4) - 4" rotating, non-marring bumpers



NTZ-S
Folding Bottom Shelf



Value Line Table

VLT-2046 | VLT-2046-ASSY

The Value Line Table is an economical sales floor processing table. This fixed height table includes drop leaves, middle shelf, and bottom shelf.

Features:

- 20"D x 18"W x 38 3/4"H
- 20"D x 46"W with drop leaves extended
- 4" Non-marring casters – 2 swivel/2 brake
- Ships either unassembled (VLT-2046) or assembled (VLT-2046-ASSY)

Value Line Table

VLT-2046-FF1

The Value Line Table is an economical sales floor processing table. This fixed height table includes drop leaves, bottom shelf, and folding board.

Features:

- 20"D x 18"W x 38 3/4"H
- 20"D x 46"W with drop leaves extended
- Folding board
- 4" Non-marring casters – 2 swivel/2 brake
- Ships assembled



Collapsible Processing Table

FPT-2448

With backrooms in retail stores getting smaller, IRSG has developed a collapsible processing table. The table can also be used on the sales floor to process merchandise during non-business hours. It saves valuable space when not in use, as it collapses to 8" deep.

Features:

- 24"D x 48"W x 36"H
- 5" Non-marring heavy duty casters – 2 swivel/2 brake
- Durable laminated work surface
- Powder coated steel frame
- Bottom grid shelf
- Ships assembled



LWT-3072
Base Model



LWT-3072
Collapsed

Lightweight Table

LWT-3072

The Lightweight Table is an excellent choice if you need a long, collapsible table that is taller and more durable than the standard banquet table.

Features:

- 30"D x 72"W x 34"H
- Tubular steel frame and support legs
- Pull-out handle for easy lifting
- Heavy duty gray poly-vinyl work surface
- Weight = 42 lbs
- Ships assembled

Ultra Lightweight Table

LWT-AP-3072

The Ultra Lightweight Table is a great solution for processing merchandise, a sales floor tool for special events or as a backroom lunch table for staff, as it's height adjustable and easy to transport throughout a store.

Features:

- 30"D x 72"W x 29"/ 34"/39" Height adjustable
- Tubular steel frame and support legs
- Light duty white blow-molded plastic work surface
- Weight = 36 lbs
- Ships assembled



LWT-AP-3072
Base Model



LWT-AP-3072
Collapsed



Lingerie/Specialty Racks

CFR-100

The CFR-100 is designed to organize, transport, and stock small items in the most efficient method possible. Ideal for swimwear, intimates, children’s wear, or for hanger collection/sortation. Attractive and “floor friendly” lacquered zinc finish. 4 adjustable hang bars included in price. Uprights feature 9 rows of durable nylon clips for optimum placement of hang-rail bars.

Features:

- 4 hang bars included
- 20”W x 40”L x 66”H
- 4” swivel casters (non-marring)
- 4 hang bars included
- Attractive lacquered zinc finish
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
CFR-100	20 x 40	508 x 1016	66	1676

Product Options

Bumpers:

C-B3-K4 & C-B3-INS

3” non-marring, rotating bumper (set of 4 with bumper inserts). Use to protect doors, walls, fixtures and ankles!



Hang Bar – LB

Additional hang bar for CFR-100. Length is 37”. Constructed of 1” round zinc-finished steel with nylon end caps.



Adjustable Hang Rail Rack

DRR-48-001

Versatile and durable, this lightweight rack features adjustable hang bars and a secure bottom shelf. Ideal for replenishment and recovery.

Features:

- 19 1/2”W x 48”L x 60”H
- 3” swivel casters (non-marring)
- 4 – adjustable hang bars included
- 48” wire grid bottom shelf
- White powder coat finish
- 500 lb. load capacity
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
DRR-48-001	19.5 x 48	495 x 1219	60	1524



EZ Rack

The compact design, adjustability, durable construction, and attractive lacquered zinc finish makes the EZ Rack ideal for a host of on-floor and backroom applications. The top hang bar extends up to 72" to hold larger volumes of merchandise. Racks nest to save space when they are not in use.

Features:

- EZR-250KS includes 5" heavy-duty swivel casters (non-marring)
- EZR-250K2 upgrades 2 casters to total lock brake
- 40"L x 24"W x 56" – 73"H (adjustable)
- Attractive lacquered zinc finish
- 1,000 lb. load capacity
- Disassembles in seconds - no tools required
- Ships unassembled




EZR-250KS w/ hang bar in lowered position and wire grid bottom shelf



EZR-250KS w/ extended top hang bar and middle bar in raised position and a wire grid bottom shelf



Collapsed EZR-250KS



EZR-250KS



EZR-250K2
(Shown with optional middle bar and bottom grid shelf.)


Model #	Width		Length (Base)		Overall Height		Description
	(in)	(mm)	(in)	(mm)	(in)	(mm)	
EZR-250KS	24	610	Adj. 40 - 72	Adj. 1016 - 1829	Adj. 56 - 73	Adj. 1422 - 1854	E-Z Rack w/ 4 swivel casters
EZR-250K2	24	610	Adj. 40 - 72	Adj. 1016 - 1829	Adj. 56 - 73	Adj. 1422 - 1854	E-Z Rack w/ 2 swivel/2 brake casters

Product Options



Wire Grid Bottom Shelf
EZR-GS-LZ

Ideal for bulk/folded goods transport.



Middle Bar
EZR-M-LZ

Middle hang bar adds capacity and versatility.



3" Bumpers
C-B3-K4

3" bumper (non-marring, set of 4). Used to protect doors, walls, fixtures, and ankles!

Fitting/Recovery Racks

These attractive, compact lacquered zinc racks are perfect for use in space-restricted areas such as fitting rooms, cash wraps or on-floor replenishment and are height adjustable.



CSC-1T
Shown with C-B3-K4 set of optional bumpers



CSC-1T-S12
Shown with C-B3-K4 set of optional bumpers



CSC-1T-S
Shown with C-B3-K4 set of optional bumpers

Features

- 20"W x 34"L footprint
- Adjustable height hang bar – 51", 57", 63", 69"
- 4" swivel casters (non-marring)
- Attractive lacquered zinc finish
- Ships unassembled

Adjustable Rack Options

- **CSC-1T** – Features an adjustable height hang bar
- **CSC-1T-S** – Includes wire grid bottom shelf with 1" lip
- **CSC-1T-S12** – Includes 12" deep wire grid bottom basket

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
CSC-1T	20 x 34	508 x 864	51 – 69	1295 – 1753	Adjustable Height Rack
CSC-1T-S	20 x 34	508 x 864	51 – 69	1295 – 1753	Adjustable Height Rack
CSC-1T-S12	20 x 34	508 x 864	51 – 69	1295 – 1753	Adjustable Height Rack



Product Option:

3" Bumpers (non-marring)
(Set of 4 Bumpers)

Model #

C-B3-K4



Folding Salesfloor Rack – FSR

This popular rack is ideal for light transporting and display. Folds for storage when not in use.

- 22" W x 50 1/2" L
- Top bar adjusts easily to 56", 61" and 66"
- Adjustable height hang bar
- Top hang bar extends up to 74"
- 4" swivel casters
- Attractive lacquered zinc finish
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
FSR	22 x 50 1/2	559 x 1283	56 – 66	1422 x 1676



Replenishment Rack


Fast and efficient replenishment during peak periods and for urgent needs. Ideal for processing, transport, and replenishment of hung, folded and flat goods.

Features:

- Floor friendly-visual appeal
- Comes standard with three shelves with 1" lips to secure merchandise
- Acrylic liner on top shelf
- 5" Heavy-duty casters; two rigid
- Ends are enclosed
- Shown with optional drop leaf
- Attractive lacquered zinc finish
- Ships assembled or unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
WRR-1842-69C	18 x 42	457 x 1067	75	1905
WRR-2442-69C	24 x 42	610 x 1067	75	1905
WRR-1848-69C	18 x 48	457 x 1219	75	1905
WRR-2448-69C	24 x 48	610 x 1219	75	1905

Product Options



Patented Directional Caster

IRSG's patented "Directional Caster" provides users with unmatched control, maneuverability and ease of use. This upgrade kit includes 1 locking directional caster with locking bar. Call IRSG for more information.

Model #	Rack Size
CUSTOM	18" Deep
CUSTOM	24" Deep



Folding Work Surface

IRSG's optional Laminated Folding Work Surface is ideal for processing and folding merchandise. The shelf folds away for easy storage when not in use.

Model #	Rack Size
WS-SL20-18G-1	18" Deep
WS-SL20-G-1	24" Deep

Dual Hang Rail Rack – DHR-550

The DHR-550 Dual Hang-Rail Rack is designed to maximize the transport of hung, folded or boxed merchandise. Replenishment teams can load more garments and make fewer trips to the floor, resulting in increased productivity. The top and middle dual-rails will carry up to 4 times the quantity of hung goods as compared to a standard rack. The patented Directional caster facilitates ease of movement. The optional Folding Bottom Shelf increases functionality, by increasing the capacity to transport boxed or folded goods.

Features:


- 57”L x 30”W x 74”H
- Comes standard with chrome top and middle dual hang-rails
- 2” Square tube steel base
- 5” Non-marring casters; (1 directional, 3 swivel)
- 4” Rotating, non-marring bumpers
- Units nest when not in use
- Safety yellow base and uprights
- Load capacity – up to 1,000 lbs.
- Ships assembled




DHR-550G: w/ Optional Bottom Shelf

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
DHR-550	30 x 57	762 x 1448	74	1880	Standard Rack – Chrome Top & middle dual hang-rails, (1) Directional, (3) Swivel Casters
DHR-550T	30 x 57	762 x 1448	74	1880	Includes one (1) Directional, (1) total lock (2) Swivel Casters
DHR-550G	30 x 57	762 x 1448	74	1880	Includes middle wire-grid shelf (1) Directional, (3) Swivel Casters
DHR-550GT	30 x 57	762 x 1448	74	1880	Includes middle wire-grid shelf, one (1) Directional, (1) total lock (2) Swivel Casters

Product Options



DHR-S



DHR-S: in “Fold-Up” Position



DHR-550: w/ Optional Bottom Shelf

Folding Bottom Shelf

DHR-S

For the DHR-550 Series of Dual Hang-Rail Racks, the DHR-S Folding Bottom Shelf facilitates transport of bulk or folded goods. Heavy wire-grid construction limits dust collection. Folds up for nesting.



Z-Racks - RGR Series

The RGR Series of rolling garment “Z” Racks deliver ease of use, ERGOnomic safety, and long life with the best value on the market. Super heavy-duty construction combined with high-performance 5” non-marring casters (2 swivel/ 2 brake) provide up to a 1,000 lb. total load rating – 2 times the capacity of most other models. “Z” base allows for nesting when not in use. Choose from 4’ or 5’ lengths and “safety” yellow or black powder coat bases. Options include middle bar, folding bottom shelf, and 4” non-marring, rotating bumpers.

Features:

- Heavy-duty 14-gauge steel
- 1 1/2” Square steel tube base
- Welded gussets at Z base corners for added strength
- Zinc uprights, hang rail
- Load capacity – up to 1,000 lbs.

RGR2-350 Series



RGR2-350: with Yellow Base



RGR2-350-B: Black Base w/ Optional Middle Bar

RGR2-350 Series

The RGR2-350 rolling garment Z-Rack delivers ease of use, safety, and long life. Super heavy-duty construction combined with standard 5” non-marring casters (2 swivel/ 2 brake) provides a 1,000 lb. total load capacity. Z-Base allows for nesting when not in use.

Features:

- 48”L x 24”W x 72”H
- Hang rail constructed of 14-gauge steel
- 1 1/2” Square steel tubing base
- Lacquered zinc uprights and hang rails
- Welded gussets at Z base corners for added strength
- Load capacity – up to 1,000 lbs.
- Ships unassembled
- Designed for easy assembly

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
RGR2-350	24 x 48	610 x 1219	72	1829	4’ Z Rack w/ Yellow Base
RGR2-350-B	24 x 48	610 x 1219	72	1829	4’ Z Rack w/ Black Base



RGR2-550:
With Optional Middle Bar



RGR2-550-B:
With Optional Bottom Shelf

RGR2-550 Series

This super heavy-duty rack is specifically designed for the rigors of retail. The 5" non-marring casters (2 swivel/2 brake) bolt through the frame and allow for a 1,000 lb. Load capacity. The Z Base allows for nesting when not in use. Full size 5' length maximizes hung goods capacity.

Features:

- 62 1/4" L x 24" W x 72" H
- Hang rail constructed of 14-gauge steel
- Welded gussets at Z base corners for added strength
- Load capacity – up to 1,000 lbs.
- Lacquered zinc uprights and hang rail
- Ships unassembled
- Designed for easy assembly


Model #	D x W (in)	D x W (mm)	Overall Height		Description
			(in)	(mm)	
RGR2-550	24 x 62 1/4	610 x 1581	72	1829	5' Z-Rack - Yellow Base
RGR2-550-B	24 x 62 1/2	610 x 1581	72	1829	5' Z-Rack – Black Base

Product Options



Directional Caster Upgrade – RGR-LDC

Upgrade one standard 5" swivel caster with IRSG's exclusive and patented Directional Caster. When engaged, the Directional Casters allow the rack to be guided with one hand and facilitate ease of movement on the retail floor. Note: Gray bumper shown is sold separately.





Bumpers: RGR-B

Rotating non-marring, 4" bumpers, set of 4. Use to protect doors, walls, fixtures and ankles!

Middle Bar - RGR-M & RGR-M3

Double the capacity of hung goods with use of the middle bar. Lowers to base of Z Rack when not in use.

Model #	Description
RGR-M3	Middle Bar for RGR2-350
RGR-M	Middle Bar for RGR2-550



Folding Bottom Shelf

Sturdy wire-grid shelf is ideal for transporting flat/bulk goods. Folds up when not in use to allow for nesting.

Model #	Description
RGR-S3	Yellow Shelf for RGR2-350
RGR-S3-B	Black Shelf for RGR2-350-B
RGR-S	Yellow Shelf for RGR2-550
RGR-S-B	Black Shelf for RGR2-550-B



Nesting Transporters

NT-48 & NT-60

These versatile, high-capacity, three-sided transporters are designed to move large amounts of merchandise during replenishment. Shelves fold up to allow transporting of larger items, while our directional caster allow for easy steering. When the work is done the NT-48, and the larger NT-60, fold and nest, saving valuable space in the backroom. Six units can nest in 5' saving valuable backroom space.

Features:

- NT-48: 48"W x 59"H x 28"D
- NT-60: 60"W x 59"H x 28"D
- Heavy-duty reinforced steel frame
- 5" Non-marring caster (1-directional, 1-total-lock and 2-swivel)
- Load capacity – up to 1,000 lbs.
- Versatile – shelves fold up to accommodate all sizes of cargo
- Durable powder coat finish
- Ships assembled
- 6" caster upgrade is available, contact IRSG for more information



NT-48: in Standard 3 Shelf Configuration



NT-48: Shown with top shelf up



NT-48: with both shelves up

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
NT-48	28 x 48	711 x 1219	59	1499
NT-60	28 x 60	711 x 1524	59	1499



Three nested transporters



Bulk Nesting Transporters

IRSG's signature Bulk Nesting Transporter is the result of a customized product that has become the cornerstone of inventory transport solutions. The NTM features 3 collapsible shelves that are slightly slanted toward the back of the cart to keep merchandise securely in place. This multi-function cart can be used with the shelves locked in different positions to accommodate a variety of merchandise. The transporter is built on a reinforced steel Z base frame which allows empty units to nest together to save storage space.

Features:

- (3) collapsible shelves
- 5" non-marring heavy duty casters – (1) swivel, (1) locking directional & (2) total lock
- Heavy duty steel frame
- Durable powder coat finish
- Ships assembled
- 27"D x 51"L x 65 3/4"H

Product Options



NTM2-48

Nesting Transporter. Optional 6" Yellow Bumpers Available



NTM2-48-GHR

Nesting Transporter with 2 Garment Hang Rails



NTM2-48-GHR-B6

Nesting Transporter with 2 Garment Hang Rails and 6" Yellow Bumpers



Nesting Wire Transporters

IRSG Nesting Wire Transporters are ideal for receiving, transporting and replenishment. Multi-functional and designed to save space and time. Choose from a variety of sizes and options to meet your specific needs.

Features:

- Lacquered zinc finish
- Patented “Directional Caster” available
- Load capacity – up to 1,000 lbs
- Comes with 5” non-marring casters
- Optional 4” rotating, non-marring bumpers
- Carts are available with standard or reverse mat shelves
- Ships assembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	# of Shelves	Style of Shelf
NT-1848	20 x 51 1/2	508 x 1308	70	1178	Four	Standard
NT-1848R	20 x 51 1/2	508 x 1308	70	1178	Four	Reverse Mat
NT-2442Z3	24 x 45 1/2	610 x 1156	56	1422	Three	Standard
NT-2448	24 x 51 1/2	610 x 1308	70	1178	Four	Standard
NT-2448R	24 x 51 1/2	610 x 1308	70	1178	Four	Reverse Mat
NT-2460	24 x 63 1/2	610 x 1607	70	1178	Four	Standard



Bumpers: NT-B
Rotating Non-Marring 4” Bumpers. Use to protect doors, walls and fixtures. Set of four.



NT-1848:
Standard 4 Shelf Cart



NT-1848R:
Reverse Mat 4-Shelf Cart shown at a 30-degree tilt



NT-2442Z3:
Standard 3-Shelf Cart



NT-2448:
Standard 4 Shelf Cart

Sign Carts

Versatile and durable, these carts can be used for a number of tasks and projects. Available in a wide variety of configurations and sure to become an indispensable tool for your sales floor operations.



SGC-1836-003

- 18 1/4"W x 36 1/2 "L x 36 1/4"H
- 18"W x 36"L work surface
- 2 reverse mat shelves
- 4 bins w/ adjustable dividers
- Step stool hook
- Pen/pencil holder
- 3 ring binder holder
- 5" non-marring swivel casters, one locking
- 3" rotating non-marring bumpers
- Lacquered zinc finish w/ gray laminate top
- Ships assembled



SGC-1836-30LZ

- 18"W x 41"L x 49"H
- 18"W x 36"L x 36"H work surface
- 2 glide-out bins w/ adjustable dividers
- Label roll bar
- Large signage storage area
- 5" non-marring casters
- 3" rotating non-marring bumpers
- Lacquered zinc finish w/ gray laminate top
- Ships assembled



SGC-2448-33LZ

- 24"W x 53"L x 39"H
- 24"W x 30"L work surface
- 5 bins w/ adjustable dividers
- 5" non-marring casters w/ directional
- 3" rotating non-marring bumpers
- Lacquered zinc finish w/ gray laminate top
- Ships unassembled
- Easy to assemble



SGC-2442-33LZ

- 24"W x 48"L x 39"H
- 24"W x 42"L work surface
- 4 bins w/ adjustable dividers
- 5" non-marring casters
- Lacquered zinc finish w/ gray laminate top
- Ships unassembled
- Easy to assemble



S4-2436-63LZF2-GXXX-1

- 24"W x 36"L x 69"H
- 2 reverse mat shelves
- 2 standard shelves
- 1 acrylic shelf liner on bottom shelf
- 18 enclosure rods
- 8 bins 16" x 11" x 6"H
- 16 bin dividers 11" x 6"H
- Lacquered zinc finish
- Ships assembled



SGC-2442-LS-1

- 24"D x 48"L (including handle) x 69"H
- 3 Glide-out bins with adjustable dividers
- 3 wire shelves, each 24" x 42"L
- 6 bins, each 16" x 11" x 6"H
- Partitioned storage for medium & large signs
- Wire basket/handle holds large rolled posters
- Lacquered zinc finish
- Ships assembled

Utility Carts

Durable, versatile and ERGOnomically designed, this series of carts is available in a number of configurations. Shelves can be spaced to meet your needs. Unlimited uses – great for merchandising and other handling tasks.

Features:

- 5" Heavy-duty, non-marring swivel casters
- 40" Overall height
- 33" Top shelf height
- Load capacity – up to 1,000 lbs
- Caster upgrade kits available
- Lacquered zinc finish
- Accessories available
- Ships unassembled



Standard Two Shelf Utility Cart.
Shown with optional 3" Bumpers

2-Shelf Utility Carts - 40" High

Model #	D x W (in)	D x W (mm)
UC2-1824LZ	18 x 24	457 x 610
UC2-1830LZ	18 x 30	457 x 760
UC2-1836LZ	18 x 36	457 x 914
UC2-1842LZ	18 x 42	457 x 1067
UC2-1848LZ	18 x 48	457 x 1219
UC2-2136LZ	21 x 36	530 x 914
UC2-2142LZ	21 x 42	530 x 1067
UC2-2436LZ	24 x 36	610 x 914
UC2-2442LZ	24 x 42	610 x 1067
UC2-2448LZ	24 x 48	610 x 1219



Standard Three Shelf Utility Cart.
Shown with optional 3" Bumpers

3-Shelf Utility Carts - 40" High


Model #	D x W (in)	D x W (mm)
UC3-1824LZ	18 x 24	457 x 610
UC3-1830LZ	18 x 30	457 x 760
UC3-1836LZ	18 x 36	457 x 914
UC3-1842LZ	18 x 42	457 x 1067
UC3-1848LZ	18 x 48	457 x 1219
UC3-2136LZ	21 x 36	530 x 914
UC3-2142LZ	21 x 42	530 x 1067
UC3-2436LZ	24 x 36	610 x 914
UC3-2442LZ	24 x 42	610 x 1067
UC3-2448LZ	24 x 48	610 x 1219

Product Options

C-B3-K4

Set of four 3" Non-marring, rotating bumper.
Use to protect doors, walls and fixtures.





KC1-2421-63C: Single Bin Cart with gray 17"W x 22"L x 6"H bins (bins sold separately)



KC2-2442-63C: Double Bin Cart with optional 24" x 24" shelves (bins sold separately)



KC3-2460-63C: Triple Bin Cart with optional 24" x 24" shelves (bins sold separately)

Bin Carts

Bin Carts are ideal for the storage and transport of bulk items. Combine shelves for larger items. These versatile carts come in single, double and triple bay configurations. Totes and shelves are sold separately. Bins are sold separately and are available in a variety of sizes. The number of bins and size of bins must be specified to configure cart.

Features:

- 5" Swivel casters with polyurethane tread
- Overall height 69"
- 3" Non-marring bumpers
- Lacquered zinc finish
- Additional slides available – listed below
- Optional bin dividers (for inside each bin) and wire grid shelves are sold separately
- Ships assembled

Single Bay

Cart includes (4) 63" posts, support frame, (14) single slides, end-stops, (4) 3" non-marring bumpers, and (4) 5" swivel casters. Bins and shelves sold separately.

Part #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	# of single slides
KC1-2421-63C	24 x 21	533 x 610	68	1753	14

Double Bay

Cart includes (4) 63" posts, support frame, (6) single slides, end-stops, (3) double slides, (4) 3" non-marring bumpers, and (4) 5" swivel casters. Bins and shelves sold separately.

Part #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	# of single slides	# of double slides
KC2-2442-63C	24 x 42	610 x 1067	68	1727	6	3

Triple Bay

Cart includes (4) 63" posts, support frame, (6) single slides, (6) double slides, end-stops, (4) 3" non-marring bumpers, and (4) 5" swivel casters. Bins and shelves sold separately.

Part #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	# of single slides	# of double slides	Casters
KC3-2460-63C	24 x 60	610 x 1524	68	1727	6	6	12 - 24"

Product Options

Extra Slides

Part #	Description
KCS1	Single Slide
KCS2	Double Slide
KCS-ES	End Stop for Single Slide

End Stops are required when adding additional slides. One End-Stop required per slide.



KCS1: Single Slide



KCS2: Double Slide



MC-4820
Standard 4-Shelf Cart with
Standard Grid Shelves & Base



MC-4820S
With Solid Shelves & Base

MC-4820 Stocking Carts

The MC-4820 the larger-sized, yet “floor-friendly” cart is ideal for replenishment. Choose from either wire-grid, or solid shelves. Durable non-marring casters including one patented directional caster are standard. Options include Folding Work Surface and Back-Panel Kits.

Features:

- 53”L (including handle) x 20”W x 62”H
- 5” Non-marring casters
- One locking directional caster
- Load capacity – up to 1,000 lbs.
- Corner bumpers included
- Solid steel frame
- Durable powder coat finish
- Ships assembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
MC-4820	20 x 53	508 x 1347	62	1575	4 Shelf, Wire-Grid
MC-4820S	20 x 53	508 x 1347	62	1575	4 Shelf, Solid

Accessories

MC-SL20-G:
Folding Work Surface



MC-BP48:
Back Panel Kit



MC-3618 Stocking Carts

The MC-3618 cart is ideal for applications requiring a smaller footprint. Designed for ease of use and long life. Small enough to be used during store hours without blocking aisles. This durable cart is excellent for restocking, merchandise/material transport and replenishment. Choose from either a standard wire-grid, 3" recessed wire-grid, or solid shelves. Durable non-marring casters, including one patented Directional Caster, are standard. Optional Folding Work Surface is available.

Features:

- 41"L (including handle) x 18"W x 39"H
- 4" Non-marring casters w/ one Locking Directional Caster
- Load capacity – up to 500 lbs.
- Patented Directional Caster for easy maneuverability
- Corner bumpers
- Solid steel frame
- Durable powder coat finish
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height		Description
			(in)	(mm)	
MC-3618-S3	18 x 41	457 x 1041	39	991	3 Wire-Grid Shelves
MC-3618L-S3	18 x 41	457 x 1041	39	991	3 Recessed Wire-Grid Shelves
MC-3618S-S3	18 x 41	457 x 1041	39	991	3 Solid Shelves



MC-3618-S3
3 Wire Grid Shelves




MC-3618L-S3
3 Recessed Wire Grid Shelves



MC-3618S-S3
3 Solid Shelves

Accessories



MC-SL20-G
Folding Work Surface

MC-4218 Stocking Carts

The MC-4218 is a heavy-duty, all purpose cart for any use. Ideal for restocking, replenishment and merchandise/material transport. Choose from either wire-grid, 3" recessed wire-grid, or solid shelves. Durable non-marring casters, including one patented Directional Caster, are standard. Options include Folding Work Surface and Back Panel Kits.

Features:

- 47"L (including handle) x 18"W x 39"H
- 4" Non-marring casters w/ one Locking Directional Caster
- Load capacity – up to 500 lbs.
- Directional Caster included for easy maneuverability
- Corner bumpers included
- Solid steel frame
- Durable powder coat finish
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
MC-4218-S3	18 x 47	457 x 1194	41	1041	3 Wire-Grid Shelves
MC-4218L-S3	18 x 47	457 x 1194	41	1041	3 Recessed Wire-Grid Shelves
MC-4218S-S3	18 x 47	457 x 1194	41	1041	3 Solid Shelves




MC-4218-S3
3 Wire Grid Shelves




MC-4218L-S3
3 Recessed Wire Grid Shelves



MC-4218S-S3
3 Solid Shelves



MC-BP42
Back Panel Kit



MC-SL20-G
Folding Work Surface

Accessories



E-Commerce Order Picking Cart

S3-2124-69LZF2-SHOP-1

Increase the efficiency of picking online orders with E-Commerce Carts. There is space for hung goods, large divider bins for small items, and a shelf for folded merchandise. Once picked, you can transport the cart to the backroom for packing and shipping. Available in a variety of configurations. Ships unassembled.

Features:

- 21" x 24" x 75"
- 24" hang rail
- (1) 21" x 24" lacquered zinc shelf
- (2) 21" x 24" reverse mat lacquered zinc shelves
- (1) Notebook holder
- (2) 22" x 17" x 8" gray bins
- (2) 17" x 8" bin dividers & (2) 22" x 8" bin dividers
- (1) Set of 5" casters – 2 swivel/2 brake
- Ships unassembled


Sorting Cart

S3-S2448LZ-001

IRSG's Sorting Cart is the perfect economic solution for organizing your products in storage bins or totes. This cart increases productivity, while reducing repetitive strain and other workplace injuries. It allows bins full of merchandise to be efficiently processed, organized, and transported to the sales floor.

Features:

- 24"D x 48"L x 60" H
- 3 slanted shelves
- 4 posts
- 5" casters - 2 swivel/2 brake
- 3" bumpers
- Lacquered zinc finish
- Note: Shown bins are not included or sold by IRSG
- Ships unassembled





E-Commerce Order Picking Cart

S6-1848-NXXX-1

Increase efficiency at picking E-Commerce orders on the sales floor with this cart. It allows plenty of space for hung, folded, boxed, and loose items which can be easily transported to the backroom or warehouse for packing and shipping to customers. Available in a wide variety of configurations to meet your needs. Ships assembled.

Features:

- 18" x 48" x 78"
- 24" hang rail
- (4) 18" x 24" lacquered zinc reverse mat wire shelves
- (1) 18" x 48" lacquered zinc wire shelf
- (1) 18" x 48" reverse mat lacquered zinc shelf
- (1) Set of 5" casters – 2 swivel/2 brake
- (8) 16" x 10" x 4" blue bins
- Ships assembled

Visual Carts

Versatile enough to simultaneously handle flat goods, cartons, and hung merchandise, the IRSG Visual Cart is a perfect complement to any store operations. Multi-tasking has never been easier than with this unique cart. The bright lacquered zinc finish complements sales floor décor, while 5" casters with rear locking bar make maneuvering the cart fast and easy.

Features:

- 2 – wire shelves with 1" lip
- 2 Removable baskets (1) 10" deep and (1) 7 1/2" deep
- One set of hanging file support rails
- Adjustable for letter and legal size hanging files capacity 75 files
- Four 5" non-marring swivel casters
- Shelf heights are custom adjustable in 1" increment
- Handle for ease of maneuvering
- Telescoping arm – use for hangers and hung goods while processing (retracts when not in use)
- Lacquered zinc finish
- Load capacity: up to 300 lbs.
- Shipped unassembled



Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
VSC-1836C-1	18 x 36	457 x 914	41	1041



Inventory Transfer Cart

Enclosed on three sides, this cart is ideal for safe and secure transport of boxed, bulk, or folded merchandise. Handle adds additional maneuverability for ease of steering through narrow aisles.

Features:

- Comes standard with two wire shelves
- Height: 60"
- Heavy-duty enclosure panels on three sides
- 5" Heavy-duty casters, 1 locking directional, 1 total-lock
- 3" Rotating bumpers
- Lacquered zinc finish
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
ITC-1848-54LZ	18 x 48	457 x 1219	60	1524
ITC-2448-54LZ	24 x 48	610 x 1219	60	1524
ITC-2460-54LZ	24 x 60	610 x 1524	60	1524

Transfer Carts

Our versatile, lightweight transfer cart features an open design for visually assessing contents and side enclosure panels for secure transporting. Standard configuration consists of two (2) wire shelves, one (1) solid shelf, two (2) side enclosure panels, chrome plated dolly frame with wrap-around bumpers, and 6" casters (two swivel and two locking).

Features:

- Transfer carts can be configured to meet special requirements. By adding and removing accessories, a number of combinations can be made to customize a transfer carts.
- Open-Wire Construction promotes air circulation, which minimizes dust and dirt accumulation
- Posts are numbered on vertical 1" increments for fast and level assembly. Shelves are adjustable in 1" increments allowing for custom configurations
- Carts come standard with 6" polyurethane casters; two swivel and two locking
- Overall cart height is 69" with casters
- Lacquered zinc finish
- Ships assembled



Model #	D x W (in)	D x W (mm)	Post Height* (in) (mm)	
CTC-2448-63LZ	24 x 48	610 x 1219	63	1600

* Overall cart height is 69" with casters.



Replenishment Carts

Ideal for transport and replenishment of merchandise. Cart can serve as a convenient workstation for organizing product displays or can double as a sales fixture for clearance items. These carts are small enough to maneuver through narrow aisles, yet strong enough to support the heaviest load.

Features:

- Three shelves with 1" lip to keep merchandise secure
- Acrylic inserts on all three shelves - provides smooth surface
- 18"W x 42"L x 39"H footprint
- 5" heavy-duty casters; two rigid, two swivel
- 3" rotating bumpers
- 6" ledges on ends of bottom & middle shelves
- Handle for ease of maneuvering
- Lacquered zinc finish
- Can ship assembled or unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
CRC-1842-33LZ	18 x 42	458 x 1067	39	910

Processing Cart

Ideal for receiving and stocking of jewelry and other small, high-value merchandise. The compact size and attractive finish permits behind-the-counter use during store hours.

Features:

- Overall dimensions: 52"L (with table leaves open) x 19 5/8"W x 35" H
- Laminate work surface with dual drop leaves
- 4 - 18"W x 24"L. reverse mat wire shelves
- 5" swivel casters (non-marring), two with total-lock brake
- 3" bumpers (non-marring)
- Lacquered zinc finish with gray laminate top
- Ships assembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
JPC-1824LZ	18 x 24	457 x 610	35	889



JPC-1824C

Shown with drop leaves extended

Mini Replenishment Cart

These carts are ideal for storing inventory in your store's backroom, then transporting to the sales floor for replenishment. With it's small footprint, it can even be used while the store is open.

Features:

- (6) 18" x 24" 3" deep recessed shelves
- (6) Shelf liners
- 5" non-marring casters - 2 swivel/2 brake
- Ships unassembled

Model #	D x W (in)	D x W (mm)
S6-R3-1824-001	18 x 24	457 x 610



S6-R3-1824-001



Mail Service Carts

The Mail Service Cart, with 2 wire baskets, is versatile to use for more than just mail. It's ideal for transporting signage for stores, merchandise, supplies, etc. It's a great multi-task cart that is easy to maneuver in tight spaces.

Features:

- (2) wire grid shelves with 1" lip
- (2) removable baskets (1) 10" deep and (1) 7 1/2" deep
- One set of hanging file support rails
- Adjustable for letter and legal size hanging files
- 5" Non-marring heavy duty swivel casters
- Handle for easy maneuvering
- Lacquered zinc finish
- Ships unassembled

Model #	Dimensions (in)
MSC-1836C-1	18"D x 36"L x 41"H

Mobile Packing Station

MPS-R2436-K1

Mobile packing stations from IRSG allow for ease in packing internet orders in an efficient manner. These units are completely customizable to meet your specific needs..

Features:

- MPS-R2436-K1: 24"D x 36"L x 39"H
- (1) Standard wire shelf
- (2) Wire shelves with 1" lip
- (1) 3" deep shelf
- (1) Gray shelf liner
- Bin rack with (4) 7"D x 4"W x 3"H bins
- 5" Non-marring heavy duty casters – 2 swivel/2 brake
- Ships unassembled



Mobile Packing Station

MPS-R2448-K1

Mobile packing stations from IRSG allow for ease in packing internet orders in an efficient manner. These units are completely customizable to meet your specific needs..

Features:

- MPS-R2448-K1: 24"D x 48"L x 39"H
- (1) Standard wire shelf
- (2) Wire shelves with 1" lip
- (1) 3" deep shelf
- (1) Gray shelf liner
- Bin rack with 2 blue bins with dividers: 11"D x 11"W x 5"H
- 5" Non-marring heavy duty casters – 2 swivel/2 brake
- Ships unassembled

Dolly Base Wire Carts

This heavy-duty cart features durability and stability for those demanding mobile applications. Open wire construction allows easy access while the dolly base ensures maximum performance.

Features:

- Cart consists of 4 posts, 4 shelves, chrome plated dolly with wrap-around bumper
- 6" Casters, two swivel and two total lock
- Available in posts heights 63" and 74"
- Posts are numbered on vertical 1" increments for fast and level assembly. Shelves are adjustable in 1" increments allowing for custom configurations
- Lacquered zinc finish
- Easy to assembly (no special tools required)
- Ships unassembled saving on freight costs



D x W (in)	D x W (mm)	Models w/ 63" Posts	Models w/ 74" Posts
		Overall height is 69" Model #	Overall height is 80" Model #
18 x 36	457 x 914	SS-DB1836-63LZF	SS-DB1836-74LZF
18 x 48	457 x 1219	SS-DB1848-63LZF	SS-DB1848-74LZF
18 x 60	457 x 1524	SS-DB1860-63LZF	SS-DB1860-74LZF
24 x 36	610 x 914	SS-DB2436-63LZF	SS-DB2436-74LZF
24 x 48	610 x 1219	SS-DB2448-63LZF	SS-DB2448-74LZF
24 x 60	610 x 1524	SS-DB2460-63LZF	SS-DB2460-74LZF

Small Mobile Wire Cart

Manage footwear inventory safely and efficiently with the IRSG Small Mobile Wire Cart. Designed to negotiate narrow aisles, this cart is ideal for receiving, stocking and put-back.

Features:

- Narrow 21" x 24" footprint
- Shelf spacing adjustable in 1" increments
- 5" Non-marring swivel casters
- Open wire design limits dust collection
- No tools required
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in) (mm)	
SS-2124-74LZF	21 x 24	534 x 610	80	2032



Linen Carts

With easy maneuverability, durable construction, and an open-air design, our linen truck is the perfect choice for your operations team. Allows quick visual review of contents and maximum air circulation.

- **Versatility:** We offer two different linen carts; standard-duty model includes (4) wire and (1) solid shelf. Heavy-duty model includes (4) wire, (1) solid shelf mounted on heavy steel dolly base. Both models include side and back enclosure panels.
- **Flexibility:** Linen cart can be customized to meet specific requirements by adding or removing shelves, side or back panels.
- **Mobility:** Standard-duty model includes 5" swivel casters, two with total lock (friction stem style). Heavy-Duty model includes 6" swivel casters, two with total lock (plate mount style).
- **Load capacity:** 1,000 lbs per cart
- **Adjustable:** Shelf heights are custom adjustable in 1" increments*
- **Lacquered zinc finish**
- **NSF Listed**
- **Can ship assembled or unassembled**
- **Optional shelves are sold separately**

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Description
LC-2460LZ	24 x 60	610 x 1524	69	1753	Standard Duty, Mobile Linen Cart
LCH-2460LZ	24 x 60	610 x 1524	71.5	1816	Heavy-Duty, Mobile Linen Cart



Stocking Cart

SC-1649

IRSG Stocking Carts provide a great way to transport, store, and display goods such as large pictures, artwork, mirrors, etc. The design of the cart helps reduce breakage and damage to these fragile items, which reduces loss and increases sales. Stocking carts ship assembled.

Features:

- 16"D x 49"L x 42"H
- 5" Non-marring heavy duty casters – 2 swivel/2 brake
- Durable gray powder coat finish
- Ships assembled

Wire Cart with Bins

S4-2124-54-NXXX-ASSY

Looking for a great cart to transport or store sensor tags and size dividers?
Or a small cart to transport small, heavy merchandise to the sales floor?
This cart is up to the task!

Features:

- Narrow 21" x 24" footprint
- Overall height is 60", making the top shelf reachable
- Top Hang Bar to hold size dividers
- (4) 22" x 17" x 6" bins (Dividers for inside bins are sold separately, if needed)
- 5" Non-marring casters - 2 swivel/2 brake
- Ships assembled, but can ship unassembled if requested



Merchandise Transfer Rack

Ideal for safe and secure transport of boxed, folded, or bulk merchandise.

Features:

- Comes standard with - four 24"W x 48"L wire shelves
- Height: 60"
- Acrylic liners on bottom 3 shelves provides smooth solid surface
- 5" Heavy-duty casters, two rigid
- 4" Shelf ledge on back of three shelves holds merchandise on cart
- Ends of cart are enclosed to prevent merchandise from falling off cart
- Lacquered zinc handle for ease of maneuvering
- Optional: Patented Locking Directional Caster for easy maneuvering through narrow aisles
- Ships unassembled

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
MRC-2448-54C	24 x 48	610 x 1219	60	1524

MRC-2448-54C

Optional "Patented" Locking Directional Caster



DRR
Standard with 4 Adjustable Rails

Dual Rail Rack DRR-36 Modular Rack

The shelves are standard with four (4) adjustable side rails and bottom basket. Add up to two (2) top baskets to create 3-tiers. Baskets nest in base when not in use.

Features:

- 16" W x 36"L x 55" H
- 3" Non-marring swivel casters
- Load capacity – up to 500 lbs
- Available in white or silver powder coat
- Ships unassembled


Model #	D x W (in)	D x W (mm)
DRR-36	17 x 36 x 55	432 x 914 x 1397



DRR
Standard Using Top Rail



DRR
With Optional 2 Top Baskets



DRR-TB36
Optional DRR Top Basket

Mobile Security Carts

Standard Lacquered Zinc Mobile Security Carts include: Four posts with 5" non-marring casters (2 swivel/2 brake), top and bottom wire shelves, two side panels, two back panels and two padlock ready front doors (lock not included). Additional shelves sold separately. Ships assembled.



Mobile Security Carts

with Two Optional Standard Shelves

Includes: (4) 63" or 72" posts, (4) 5" bumpers, (4) 5" casters, (2 swivel/2 brake), top and bottom wire shelves, (2) side panels and (2) back panels and (2) padlock front doors (lock not included). Optional shelves can be positioned at 1" increments. Optional inside shelves sold separately.

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
SC1836-63LZF	22 x 40	559 x 1016	69"	1753
SC1848-63LZF	22 x 52	559 x 1321	69"	1753
SC2436-63LZF	27 x 40	686 x 1016	69"	1753
SC2448-63LZF	27 x 52	686 x 1321	69"	1753
SC2460-63LZF	27 x 64	686 x 1626	69"	1753
SC2436-72LZF	27 x 40	686 x 1016	78"	1981
SC2448-72LZF	27 x 52	686 x 1321	78"	1981

Mini Mobile Security Carts

Includes: (4) 48" posts, (4) 5" bumpers, (4) 5" casters (2 swivel/2 brake), top and bottom wire shelves, (2) side panels and (2) back panels and (2) padlock front doors (lock not included). Optional shelves can be positioned at 1" increments. Optional inside shelves are sold separately.

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
SC2424-48LZF	27 x 27	686 x 686	54"	1372
SC2436-48LZF	27 x 40	686 x 1016	54"	1372
SC2448-48LZF	27 x 52	686 x 1321	54"	1372
SC2460-48LZF	27 x 64	686x 1626	54"	1372

Heavy-Duty Mobile Security Carts

Heavy-Duty Lacquered Zinc Security Carts include dolly frame with wrap-around bumper, top and bottom shelves, two side panels, two back panels, two padlock ready front doors (lock not included), 6" non-marring casters (2 swivel/2 brake). Ships assembled. Additional shelves sold separately.

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
SHC1836-63LZF	22 x 40	559 x 1016	69"	1753
SHC1848-63LZF	22 x 52	559 x 1321	69"	1753
SHC2436-63LZF	27 x 40	686 x 1016	69"	1753
SHC2448-63LZF	27 x 52	686 x 1321	69"	1753
SHC2460-63LZF	27 x 64	686 x 1626	69"	1753
SHC2436-72LZF	27 x 40	686 x 1016	78"	1981
SHC2448-72LZF	27 x 52	686 x 1321	78"	1981



SHC2448-63LZF

Heavy-Duty Cart with 2 Optional Standard Shelves

Stationary Security Cages

Secure storage has never been easier than with these sturdy Stationary Security Cages. Heavy-gauge wire construction, four posts with leveling feet to compensate for uneven surfaces, padlock ready doors, and durable lacquered zinc finish combine to keep your supplies and equipment safe and protected from loss or pilferage. Top and bottom shelves are standard. Additional shelves are available. Lock not included. Ships assembled.



Stationary Security Cage

with 2 Optional Standard Shelves

Includes: (4) 63" or 72" posts, with leveling feet, top and bottom wire shelves, (2) side panels and (2) back panels and (2) padlock front doors (lock not included). Optional shelves can be positioned at 1" increments. Optional inside shelves are sold separately.

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
SC1836-63LZ	22 x 40	559 x 1016	63"	1600
SC1848-63LZ	22 x 52	559 x 1321	63"	1600
SC2436-63LZ	27 x 40	686 x 1016	63"	1600
SC2448-63LZ	27 x 52	686 x 1321	63"	1600
SC2460-63LZ	27 x 64	686 x 1626	63"	1600
SC2436-72LZ	27 x 40	686 x 1016	72"	1829
SC2448-72LZ	27 x 52	686 x 1321	72"	1829

Mini Stationary Security Cage

Stationary Security Cages include: (4) 48" posts with leveling feet, top and bottom wire shelves, (2) side panels and (2) back panels and (2) padlock front doors (lock not included). Additional shelves are available.

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)
SC2424-48LZ	27 x 27	686 x 686	48"	1219
SC2436-48LZ	27 x 40	686 x 1016	48"	1219
SC2448-48LZ	27 x 52	686 x 1321	48"	1219
SC2460-48LZ	27 x 64	686x 1626	48"	1219



SC2436-48LZ Stationary Cage

Mobile Wire Carts

These durable and highly functional Mobile Wire Carts are ideal for maximizing mobile storage requirements. The open wire construction minimizes dust/dirt accumulation and maximizes airflow and visibility.

D x W (in)	D x W (mm)	63" Posts Model #	74" Posts Model #
18 x 24	457 x 610	SS-1824-63LZF2	SS-1824-74LZF2
18 x 30	457 x 762	SS-1830-63LZF2	SS-1830-74LZF2
18 x 36	457 x 914	SS-1836-63LZF2	SS-1836-74LZF2
18 x 42	457 x 1067	SS-1842-63LZF2	SS-1842-74LZF2
18 x 48	457 x 1219	SS-1848-63LZF2	SS-1848-74LZF2
18 x 60	457 x 1524	SS-1860-63LZF2	SS-1860-74LZF2
18 x 72	457 x 1829	SS-1872-63LZF2	SS-1872-74LZF2
21 x 24	533 x 610	SS-2124-63LZF2	SS-2124-74LZF2
21 x 30	533 x 762	SS-2130-63LZF2	SS-2130-74LZF2
21 x 36	533 x 914	SS-2136-63LZF2	SS-2136-74LZF2
21 x 42	533 x 1067	SS-2142-63LZF2	SS-2142-74LZF2
21 x 48	533 x 1219	SS-2148-63LZF2	SS-2148-74LZF2
21 x 60	533 x 1524	SS-2160-63LZF2	SS-2160-74LZF2
21 x 72	533 x 1829	SS-2172-63LZF2	SS-2172-74LZF2
24 x 24	610 x 610	SS-2424-63LZF2	SS-2424-74LZF2
24 x 30	610 x 762	SS-2430-63LZF2	SS-2430-74LZF2
24 x 36	610 x 914	SS-2436-63LZF2	SS-2436-74LZF2
24 x 42	610 x 1067	SS-2442-63LZF2	SS-2442-74LZF2
24 x 48	610 x 1219	SS-2448-63LZF2	SS-2448-74LZF2
24 x 60	610 x 1524	SS-2460-63LZF2	SS-2460-74LZF2
24 x 72	610 x 1829	SS-2472-63LZF2	SS-2472-74LZF2



Included in Kits:

- 4 Shelves with split sleeves
- 4 Posts included, available in 63" & 74" heights (other heights available)
- 5" Heavy-duty non-marring swivel casters (2 swivel/2 brake)
- Posts are numbered in 1" increments for ease of assembly
- Easy to transport and maneuver, no tools required
- Load capacity – up to 1,000 lbs.
- Ships unassembled
- Additional shelves and accessories are available. See Shelving Accessories pages for options.

Stationary Starter Units

Starter units consist of 4 shelves, 4 posts, and 16 plastic split sleeves.

Features:

- Standard post heights are 63" and 74", other sizes available
- Lacquered zinc finish
- Easy to assemble, no tools required



D x W (in)	D x W (mm)	63" Posts Model #	74" Posts Model #
18 x 24	457 x 610	SS-1824-63LZ	SS-1824-74LZ
18 x 30	457 x 762	SS-1830-63LZ	SS-1830-74LZ
18 x 36	457 x 914	SS-1836-63LZ	SS-1836-74LZ
18 x 42	457 x 1067	SS-1842-63LZ	SS-1842-74LZ
18 x 48	457 x 1219	SS-1848-63LZ	SS-1848-74LZ
18 x 60	457 x 1524	SS-1860-63LZ	SS-1860-74LZ
18 x 72	457 x 1829	SS-1872-63LZ	SS-1872-74LZ
21 x 24	533 x 610	SS-2124-63LZ	SS-2124-74LZ
21 x 30	533 x 762	SS-2130-63LZ	SS-2130-74LZ
21 x 36	533 x 914	SS-2136-63LZ	SS-2136-74LZ
21 x 42	533 x 1067	SS-2142-63LZ	SS-2142-74LZ
21 x 48	533 x 1219	SS-2148-63LZ	SS-2148-74LZ
21 x 60	533 x 1524	SS-2160-63LZ	SS-2160-74LZ
21 x 72	533 x 1829	SS-2172-63LZ	SS-2172-74LZ
24 x 24	610 x 610	SS-2424-63LZ	SS-2424-74LZ
24 x 30	610 x 762	SS-2430-63LZ	SS-2430-74LZ
24 x 36	610 x 914	SS-2436-63LZ	SS-2436-74LZ
24 x 42	610 x 1067	SS-2442-63LZ	SS-2442-74LZ
24 x 48	610 x 1219	SS-2448-63LZ	SS-2448-74LZ
24 x 60	610 x 1524	SS-2460-63LZ	SS-2460-74LZ
24 x 72	610 x 1829	SS-2472-63LZ	SS-2472-74LZ

Stationary Add-On Units

Start a run of shelving with a Starter Unit, which consists of four posts and four shelves. Then attach Add-On unit that consists of two posts, four shelves and two S-Hooks per shelf. Add-On units can be attached end-to-end, in a "T" formation or at 90° angles. Starter Units are rated to support 1,200 lbs. Add-On units 1,000 lbs.



ADD-ON UNITS

D x W (in)	D x W (mm)	63" Posts Model #	74" Posts Model #
18 x 24	457 x 610	SA-1824-63LZ	SA-1824-74LZ
18 x 30	457 x 762	SA-1830-63LZ	SA-1830-74LZ
18 x 36	457 x 914	SA-1836-63LZ	SA-1836-74LZ
18 x 42	457 x 1067	SA-1842-63LZ	SA-1842-74LZ
18 x 48	457 x 1219	SA-1848-63LZ	SA-1848-74LZ
18 x 60	457 x 1524	SA-1860-63LZ	SA-1860-74LZ
18 x 72	457 x 1829	SA-1872-63LZ	SA-1872-74LZ
21 x 24	533 x 610	SA-2124-63LZ	SA-2124-74LZ
21 x 30	533 x 762	SA-2130-63LZ	SA-2130-74LZ
21 x 36	533 x 914	SA-2136-63LZ	SA-2136-74LZ
21 x 42	533 x 1067	SA-2142-63LZ	SA-2142-74LZ
21 x 48	533 x 1219	SA-2148-63LZ	SA-2148-74LZ
21 x 60	533 x 1524	SA-2160-63LZ	SA-2160-74LZ
21 x 72	533 x 1829	SA-2172-63LZ	SA-2172-74LZ
24 x 24	610 x 610	SA-2424-63LZ	SA-2424-74LZ
24 x 30	610 x 762	SA-2430-63LZ	SA-2430-74LZ
24 x 36	610 x 914	SA-2436-63LZ	SA-2436-74LZ
24 x 42	610 x 1067	SA-2442-63LZ	SA-2442-74LZ
24 x 48	610 x 1219	SA-2448-63LZ	SA-2448-74LZ
24 x 60	610 x 1524	SA-2460-63LZ	SA-2460-74LZ
24 x 72	610 x 1829	SA-2472-63LZ	SA-2472-74LZ

Add-On Units


Create your own efficient and economical shelving unit by combining a Starter Unit with an Add-On Unit. Easy to assemble, no tools required. Starter units consists of four posts and indicated number of shelves. Add-on units consists of two posts, indicated number of shelves, and two "S" hooks per shelf

Sample Right Angle Set-Up




Examples of Starter & Add-On Unit Configurations


Combination



End-to-End



Right Angle



= "S" Hook Location

Shelving Styles


IRSG Shelving Systems are compatible with a variety of shelving styles to meet all of your needs.

Standard Wire Shelves

IRSG's Standard Wire Shelves allows for easy access to inventory and is available in a variety of sizes and finishes to suit your storage needs and space requirements. All wire shelves have a lacquered zinc finish.

Features:

- Finish: Lacquered Zinc
- Capacity: 500 lbs.




Model #	D x W (mm)	D x W (in)
1824LZ	18 x 24	457 x 610
1830LZ	18 x 30	457 x 762
1836LZ	18 x 36	457 x 914
1842LZ	18 x 42	457 x 1067
1848LZ	18 x 48	457 x 1219
1854LZ	18 x 54	457 x 1372
1860LZ	18 x 60	457 x 1524
1872LZ	18 x 72	457 x 1829
2124LZ	21 x 24	533 x 610
2130LZ	21 x 30	533 x 762
2136LZ	21 x 36	533 x 914
2142LZ	21 x 42	533 x 1067
2148LZ	21 x 48	533 x 1219
2154LZ	21 x 54	533 x 1372
2160LZ	21 x 60	533 x 1524
2172LZ	21 x 72	533 x 1829
2424LZ	24 x 24	610 x 610
2430LZ	24 x 30	610 x 762
2436LZ	24 x 36	610 x 914
2442LZ	24 x 42	610 x 1067
2448LZ	24 x 48	610 x 1219
2454LZ	24 x 54	610 x 1372
2460LZ	24 x 60	610 x 1524
2472LZ	24 x 72	610 x 1829

Slanted Shelves

Ideal for display or stock/materials picking application. Slanted shelves offer increased visibility and ease of access. Slanted shelves may be intermixed with other style shelves of the same size.

Features:

- Finish: Lacquered Zinc
- Capacity: 200 lbs.



Model #	D x W (in)	D x W (mm)
S2448LZ	24 x 48	610 x 1219



Deep Basket Shelves

2 3/4" Deep ledge protects contents from falling off shelf.

Model #	D x W (in)	D x W (mm)
R3-1836LZ	18 x 36	457 x 914
R3-1848LZ	18 x 48	457 x 1219
R3-2436LZ	24 x 36	610 x 914
R3-2448LZ	24 x 48	610 x 1219

Reverse-Mat Shelves

A 1" lip around the edge of the Reverse-Mat shelf secures contents. These shelves may be intermixed with other style shelves of the same size.

Features:

- Finish: Lacquered Zinc
- Capacity: 250 lbs.



Model #	D x W (in)	D x W (mm)
R1448LZ	14 x 48	356 x 1219
R1836LZ	18 x 36	457 x 914
R1848LZ	18 x 48	457 x 1219
R2424LZ	24 x 24	610 x 610
R2436LZ	24 x 36	610 x 914
R2448LZ	24 x 48	610 x 1219



Wire Baskets

Keep your loose products and supplies organized and easily accessible with IRSG Wire Baskets! Available in multiple sizes.

Model #	Dimensions
WS-BSKT18	18" x 7" x 5"H
WS-BSKT24	24" x 7" x 5"H

Custom Cart Covers

Keep contents free of dirt, dust and other contaminants. Covers are made of water resistant, 400-denier nylon. Reinforced corners with double stitching for maximum strength.

Features:

- Lightweight – easy to handle
- Made to fit any size cart
- Available with velcro or zipper closures
- Available in a variety of colors



Shown: 18" x 48" x 63" Cover



Posts

Posts are numbered on vertical 1" increments to assist in fast and level assembly. Posts are double-grooved every 5" for easy identification and have a lacquered zinc finish.



H* (in)	H* (mm)	For Stationary Applications Model #	For Mobile Applications Model #
33 3/8	848	P33LZ	P33LZF
54 3/8	1381	P54LZ	P54LZF
63 3/8	1610	P63LZ	P63LZF
69 3/8	1762	P69LZ	P69LZF
72 3/8	1838	P72LZ	P72LZF
74 3/8	1889	P74LZ	P74LZF
86 3/8	2194	P86LZ	P86LZF
96 3/8	2448	P96LZ	P96LZF

*Height includes levelers for Stationary Posts.

Hanger Rail

Attach hanger rails between posts on the shelving unit.

Length (in)	Length (mm)	Model #
18	457	HR18LZ
21	533	HR21LZ
24	610	HR24LZ
30	762	HR30LZ
36	914	HR36LZ



Shelf Dividers

Use these 8" high dividers to partition and organize shelf contents.

Length (in)	Length (mm)	Model #
18	457	SD18LZ
24	610	SD24LZ


Shelf Ledges

6" height secures shelf contents.

Length (in)	Length (mm)	Model #
18	457	SL18LZ
24	610	SL24LZ
30	762	SL30LZ
36	914	SL36LZ
48	1219	SL48LZ
60	1524	SL60LZ



Shelf Ledge



Shelf Ledge

Shelf Inlays

Prevent small items from falling through wire shelves with a Shelf Inlay. Fits between posts and is level with top of shelf edge. Available in Gray MDE (PLAS), thin clear plastic (PETG), or acrylic (ACRL).




Width x Length (in.)	(mm)	Model No.		
		Model No.	Model No.	Model No.
18" x 36"	457 x 914	1836-PLAS	1836-PETG	1836-ACRL
18" x 42"	457 x 1067	1842-PLAS	1842-PETG	1842-ACRL
18" x 48"	457 x 1219	1848-PLAS	1848-PETG	1848-ACRL
18" x 60"	457 x 1524	–	1860-PETG	1860-ACRL
21" x 36"	533 x 914	–	2136-PETG	2136-ACRL
21" x 42"	533 x 1067	–	2142-PETG	2142-ACRL
21" x 48"	533 x 1219	–	2148-PETG	2148-ACRL
21" x 60"	533 x 1524	–	2160-PETG	2160-ACRL
24" x 36"	610 x 914	2436-PLAS	2436-PETG	2436-ACRL
24" x 42"	610 x 1067	2442-PLAS	2442-PETG	2442-ACRL
24" x 48"	610 x 1219	2448-PLAS	2448-PETG	2448-ACRL
24" x 60"	610 x 1524	2460-PLAS	2460-PETG	2460-ACRL
24" x 72"	610 x 1829	2474-PLAS	2472-PETG	2472-ACRL

Enclosure Panels

An efficient way to secure shelf contents by enclosing the backs and sides of wire shelving units. Used for both stationary & mobile applications. Each panel includes 4 retaining clamps.

Model #	W x H (in)	W x H (mm)	Post Height		Grid Opening	
			(in)	(mm)	(in)	(mm)
EP1854LZ	12-3/8 x 50-3/4	314 x 1289	54	1372	2-7/8 x 2-3/4	73 x 70
EP1863LZ	12-3/8 x 59-3/4	314 x 1518	63	1600	2-7/8 x 2-3/4	73 x 70
EP1874LZ	12-3/8 x 70-1/2	314 x 1791	74	1880	2-7/8 x 2-3/4	73 x 70
EP2454LZ	18-3/8 x 50-3/4	467 x 1289	54	1372	2-3/4 x 2-3/4	70 x 70
EP2463LZ	18-3/8 x 59-3/4	467 x 1518	63	1600	2-3/4 x 2-3/4	70 x 70
EP2474LZ	18-3/8 x 70-1/2	467 x 1791	74	1880	2-3/4 x 2-3/4	70 x 70



Ordering Guide for Enclosure Panels

Use the tables below to determine which panels will meet your requirements.

Ends

Order panels for the sides of the unit according to shelf width. One panel per side.

Post Height (in)	Post Height (mm)	Shelf Width 18" (457mm)	Shelf Width 24" (610mm)
54	1372	(2) EP1854LZ	(2) EP2454LZ
63	1600	(2) EP1863LZ	(2) EP2463LZ
74	1880	(2) EP1874LZ	(2) EP2474LZ

Mobile Wire Shelving Unit
w/ both ends and back enclosure panels.



Backs

Requires multiple panels in quantities shown for specific shelf length.

Post Height (in)	Post Height (mm)	Shelf Length 36" (914mm)	Shelf Length 42" (1067mm)	Shelf Length 48" (1219mm)	Shelf Length 54" (1372mm)	Shelf Length 60" (1525mm)
54	1372	(1) EP1854LZ (1) EP2454LZ	(2) EP2454LZ	(2) EP1854LZ (1) EP2454LZ	(1) EP1854LZ (2) EP2454LZ	(3) EP2454LZ
63	1600	(1) EP1863LZ (1) EP2463LZ	(2) EP2463LZ	(2) EP1863LZ (1) EP2463LZ	(1) EP1863LZ (2) EP2463LZ	(3) EP2463LZ
74	1880	(1) EP1874LZ (1) EP2474LZ	(2) EP2474LZ	(2) EP1874LZ (1) EP2474LZ	(1) EP1874LZ (2) EP2474LZ	(3) EP2474LZ



Handle Bar



Add handle for additional maneuverability to Mobile Carts. Split sleeves included for attaching to cart.

Length		Model #
(in)	(mm)	
18	457	H18LZ
24	610	H24LZ

Coat Rack H-Bar

Adapts to any same size rack. Provides convenient storage of coats, uniforms, or other garments.

D x W		Model #
(in)	(mm)	
18 x 36	457 x 914	HB1836C
18 x 48	457 x 1219	HB1848C
24 x 36	610 x 914	HB2436C
24 x 48	610 x 1219	HB2448C



Three-Sided Double Truss Frame

Add additional stability and support for stationary shelving units with these sturdy three-sided frames.

D x W		Model #
(in)	(mm)	
18 x 24	457 x 610	TFD1824C3
18 x 36	457 x 914	TFD1836C3
18 x 48	457 x 1219	TFD1848C3
18 x 60	457 x 1524	TFD1860C3
24 x 24	610 x 610	TFD2424C3
24 x 36	610 x 914	TFD2436C3
24 x 48	610 x 1219	TFD2448C3
24 x 60	610 x 1524	TFD2460C3

Enclosure Rods

Use to enclose any one or all sides of a cart and make it more versatile. Each rod comes with 4 retainer tabs (RTZ) to accommodate 4 shelves. Additional Tabs (Bags of 12) – RTZ-12.


Model #	Use with Post Size
ER52C	54"
ER61C	63"
ER72C	74"
ER84C	86"
RTZ-12	All



Black Label Holders

Use these 6" black label holders to identify the contents of your wire shelves. Sold in a set of five.

Length (in)	(mm)	Model #
6	152	K5-LABEL-HOLDER-6-BLK-1



Notebook Holder

Use to hold notebooks, letter size paper, etc. on your wire carts.

D x W (in)	(mm)	Model #
12 x 8	305 x 203	WS-FB11LZ

Small Part Bins

These bins can be easily divided into compartments on 1 1/2" centers to keep small items organized. Bins fit most standard shelf sizes.

Model #	Length	Width	Height
SB0704-3	7-3/8	4-1/8	3
SB-9	9	9	5
SB-11	10-7/8	11	5
SB1611-6	16-1/2	10-7/8	6
SB1611-8	16-1/2	10-7/8	8
SB2217-6	22-3/8	17-3/8	6
SB2217-8	22-3/8	17-3/8	8
SB2217-12	22-3/8	17-3/8	12



SB0704-3




SB-9



SB-11
(One divider included)



SB-16 | SB-22
(Dividers sold separately)



SB2217-6
w/ Dividers

Bin Dividers

Model #	Type	Fits Small Bin Model #	Height
BD11-6	Short	SB1611-6	6
BD16-6	Long	SB1611-6	6
BD11-8	Short	SB1611-8	8
BD16-8	Long	SB1611-8	8
BD17-6	Short	SB2217-6	6
BD22-6	Long	SB2217-6	6
BD17-8	Short	SB2217-8	8
BD22-8	Long	SB2217-8	8
BD17-12	Short	SB2217-12	12
BD22-12	Long	SB2217-12	12



Leveling Foot (LF)

Use these adjustable leveling bolts to fit into post for uneven floors.




Plastic Split Sleeve (PSS)

Included with shelves.



S-Hook (S-HOOK)

Use S-hooks to connect individual shelving units. Two S-hooks required per shelf.



Retaining C & S Clamps (WS-RCC & WS-RCS)

Included with Enclosure Panels. Two of each required for each Enclosure Panel.



3" Non-Marring, Rotating Bumper (C-B3)



5" Non-Marring, Rotating Bumper (C-B5)




6" Yellow Bumper
(C-B6-W500)



Post Cap (PC)

Covers post-end opening at top of shelving unit. (Included with posts)

CLB-18L



CLB-18R

Caster Locking Bars

Model #	Caster
CLB-18R	Convert casters to rigid on one end of 18" cart
CLB-24R	Converts casters to rigid on one end of 24" cart
CLB-18L	Allows Directional Caster to be used with 18" shelving
CLB-24L	Allows Directional Caster to be used with 24" shelving

Caster Upgrade Kits















(Used with C250-KS-E Caster Kits)
Call IRSG for more information.

Model #	Caster	Load		Wheel Dia.	
		(lbs)	(kg)	(in)	(mm)
CUSTOM	(1) Directional w/ 18" Locking Bar	250	114	5	127
CUSTOM	(1) Directional w/ 18" Locking Bar, (1) total lock	250	114	5	127
CUSTOM	(1) Directional w/ 24" Locking Bar	250	114	5	127
CUSTOM	(1) Directional w/ 24" Locking Bar, (1) total lock	250	114	5	127
CUSTOM	(2) total lock	250	114	5	127

















CUSTOM
Upgrade Kit Shown
(2-total lock)

Casters

Image	Model #	Description	Items Used On	Load		Wheel Dia.	
				lbs	kg	in	mm
	12000	2" Swivel, 1/4" x 5/8" Threaded Stem	CFR-30A-M2, CFR-40A-M2 Freestanding Collection Racks	75	34	2	51
	12005	2" Swivel w/ Total-Lock Brake, 1/4" x 5/8" Threaded Stem	CFR-30xx, CFR-40xx Freestanding Collection Racks	75	34	2	51
	12110	4" Swivel, 7/16" x 1 3/8" Friction Stem	ERGO-27, ERGO-27-1; ERGO-28, ERGO-28-1; ERGO-32, ERGO-32-1; & VLT Tables	75	34	4	102
	12115	4" Swivel w/ Total-Lock Brake, 7/16" x 1 3/8" Friction Stem	ERGO-27, ERGO-27-1; ERGO-28, ERGO-28-1; ERGO-32, ERGO-32-1; & VLT Tables	75	34	4	102
	12120	4" Swivel, 1/2" x 2" Threaded Stem	CFR-100 Lingerie Rack without Bumpers; CSC-1T, CSC-1T-S, CSC-1T-S12 Fitting Room Racks without Bumpers	75	34	4	102
	12130	4" Swivel, 1/2" x 2 7/8" Threaded Stem	CFR-100 Lingerie Rack with Bumpers; CFR-50A-M4 & CFR-60XX Freestanding Collection Racks; CSC-1T, CSC-1T-S & CSC-1T-12 Fitting Room Racks with Bumpers; FTW Folding Work Tables	125	57	4	102
	12135	4" Swivel w/ Total-Lock Brake, 1/2" x 2 7/8" Threaded Stem	CFR-100 Lingerie w/ Bumpers; CFR-50A-M4 & CFR-60XX Freestanding Collection Racks; CSC Fitting Room Racks w/ Bumpers; FTW Folding Work Tables	125	57	4	102
	12205	4" Swivel, 3 3/4" x 2 7/8" Top Plate	ERGO-64 Processing Stations	125	57	4	102
	12210	4" Swivel w/ Total-Lock Brake, 3 3/4" x 2 7/8" Top Plate	ERGO-64 Processing Stations	125	57	4	102
	12311	Directional Lock with Holed Post	MC-3618 & MC-4218 Merchandise Carts	175	79	4	102
	12315	4" Swivel, 7/16" x 1 3/8" Friction Stem	ERGO-50 Tables; MPOS-28 & MPOS-28-REG	175	79	4	102
	12320	4" Swivel w/ Total-Lock Brake, 7/16" x 1 3/8" Friction Stem	ERGO-50 Tables; MPOS-28 & MPOS-28-REG	175	79	4	102
	12330	4" Swivel, 1/2" x 2 5/8" Threaded Stem	MC-3618 & MC-4218 Merchandise Carts	175	79	4	102
	12600	5" Swivel w/ Total-Lock Brake, 3 3/4" x 2 7/8" Top Plate	NT-48 & NT-60 Nesting Transporters	250	113	5	127

Casters

Image	Model #	Description	Items Used On	Load		Wheel Dia.	
				lbs	kg	in	mm
	12601	5" Swivel, 3 3/4" x 2 7/8" Top Plate	NT-48 & NT-60 Nesting Transporters	250	113	5	127
	12603	5" Swivel, 1/2" x 2 3/8" Threaded Stem	NT-1848, NT-2442, NT-2448, & NT-2460 Nesting Transporters (silver frame; standard or reverse shelves), NTZ Tables; RGR2-350 & RGR2-550 Z-racks (yellow or black frame)	250	113	5	127
	12604	5" Swivel w/ Total-Lock Brake, 1/2" x 2 3/8" Threaded Stem	NTZ Tables; RGR2-350 & RGR2-550 Z-racks (yellow or black frame)	250	113	5	127
	12610	5" Swivel w/ Directional, 1/2" x 2 7/8" Threaded Stem	DHR-550 Dual Hang Racks; MC-4820/MC-4820S Merchandise Carts	250	113	5	127
	12613	5" Swivel, 1/2" x 2 7/8" Threaded Stem	DHR-550 Dual Hang Racks & ISTR In-Store Transfer Racks Prior to 2020; MC-4820/MC-4820S Merchandise Carts	250	113	5	127
	12615	5" Swivel w/ Directional, 3 3/4" x 2 7/8" Top Plate 90°	NT-48 & NT-60 Nesting Transporters	250	113	5	127
	12700	6" Swivel, 3 3/4" x 2 7/8" Top Plate	LCH-2460C Linen Cart; Super Heavy Duty NT-48-6H/NT-60-001/NT-60-001-TH Heavy Duty Nesting Transporters	400	181	6	152
	12705	5" Swivel w/ Dir. & Total-Lock Brake, 3 3/4" x 2 7/8" Top Plate 90°	LCH-2460C Linen Cart; Super Heavy Duty NT-48-6H/NT-60-001/NT-60-001-TH Heavy Duty Nesting Transporters	400	181	6	152
	C250-K2-P	Set of Four 5" Swivel/ 2 w/ Total-Lock Brake, 7/8" x 2 1/4" Friction Stem	Lacquered wire shelving carts with 2 swivel/2 brake casters; security cages; EZR's with 2 swivel/2 brake casters & NTM2 Nesting Transporters (specs are per caster)	250	113	5	127
	C250-KS-E	Set of Four 5" Swivel, 7/8" x 2 1/4" Friction Stem	Lacquered wire shelving carts with all swivel casters & ISTR's from 2020 or newer (specs are per caster)	250	113	5	127
	C250Z-B-P	5" Swivel w/ Total-Lock Brake, 7/8" x 2 1/4" Friction Stem	Lacquered wire shelving carts & cages;EZR's; NTM2 Nesting Transporters	250	113	5	127
	C250Z-E	5" Swivel, 7/8" x 2 1/4" Friction Stem	Lacquered wire shelving carts & cages with braking casters; EZR's with braking casters & ISTR's from 2020 or newer; NTM2 Nesting Transporters	250	113	5	127
	RGR-LDC	5" Swivel w/ Directional, 1/2" x 2 7/8" Threaded Stem +12910 Directional Fixing Washer	RGR series Rolling Garment Z Racks - 5" Directional Caster Kit upgrade of one swivel caster (fixing washer not included with replacement caster and must be ordered separately)	250	113	5	127
	RGR-T2-E	Set of Four 5" Swivel, 2 w/ Total-Lock Brake, 1/2" Threaded Stem	RGR2-350 & RGR2-550 Z-racks (yellow or black frame)	1,000	454	5	127

IRSG Warranty Statement

IRSG warrants that products supplied and manufactured by IRSG will be free from defects in material and workmanship at point they leave our facilities. After inspection, we guarantee to replace any part that is deemed defective for up to **one year**, provided that it meets the stated warranty criteria below.

If the part is determined to be defective by IRSG, customers are entitled only to the replacement of the component. Under no circumstances will IRSG be liable for any claims including, but not limited to labor or subsequent damages.

Lacquered zinc shelving is warranted for one year against rust formation over more than six percent of the shelving surface to the original owner and the original installation in dry storage application and usage only. IRSG shelving must be cleaned only with mild detergents and soft cloths. Using other cleaning agents, scrapers or brushes will void this warranty. Rupturing the coating or exposure to corrosive substances will also void these warranties.

In the event of a warranty claim, IRSG's representatives will inspect the installation and cause of the failure and determine if a claim is valid. If a claim is allowed, returns or replacements including disassembly, reassembly becomes the responsibility of the initial owner. IRSG's warranties are applied on a pro-rated basis.

This is the sole and exclusive warranty given by IRSG and is in lieu of and excludes all other warranties, express or implied, arising by operation of law or otherwise, including without limitation, merchantability or use for a particular purpose. This warranty does not extend to any losses or damages due to misuse, accident, abuse, neglect, normal wear and tear, use beyond load capacity, improper installation or application. No employee or agent of IRSG has any authority to make any representation or warranty which exceeds the above warranty.



IRSG Terms & Conditions

Terms of Sale: Photos, illustrations, and specifications are based on the latest information at the time of publication. Prices are NET, and are F.O.B. our shipping point. We reserve the right to change or discontinue models, finishes, materials, and specifications and update pricing as required. Orders are subject to acceptance by IRSG (hereafter IRSG) or its divisional companies.

Prices & Other Charges: Prices quoted are net prices. They do not include freight costs, federal, state or local taxes, or any charges or duties. If such costs are applicable to your order, IRSG will inform you before billing you or processing your credit card. All prices are subject to change without notice. Pricing will always be confirmed with you at the time of order.

Minimum Orders: The minimum order is \$70.00, excluding freight and sales tax.

Purchase Terms: We accept Visa, MasterCard, and American Express for payment with a 3% processing fee. If you prefer to be billed on an open account and do not have an existing account with IRSG, we will process your credit application in 7-10 working days. Open terms are NET 30, from date of invoice. A finance charge of 1-1/2% per month will be charged on past-due balances.

Return Policies: Prior written authorization is required by IRSG (or its divisional companies). Our customer service department will provide the necessary authorization forms and return instructions. Returns, which are not accompanied by the required documentation, will be refused. Returns are subject to a 20% restocking fee and customer is responsible for freight cost to ship items back to IRSG. Products that have been customized in any way are not returnable.

Resale Rights: The only resellers who have a continuing right to purchase from IRSG are those who have written agreements with IRSG. By accepting orders from resellers and/or representatives who are not our authorized dealers or manufacturing representatives, IRSG makes no representation or promise, expressed or implied, that it will continue to accept such orders on subsequent occasions.

Warranty: IRSG (seller) warrants that goods will be free from defects in materials and workmanship under normal use, service and maintenance for a period of one year (to the original owner) from the date of shipment unless specified by seller in writing. This is the sole and exclusive warranty given by seller, is in lieu of, and excludes all other warranties, express or implied, arising by operation of law or otherwise, including without limitation, merchantability or use for a particular purpose. This warranty does not extend to any losses or damages due to misuse, accident, abuse, neglect, normal wear and tear, use beyond load capacity, improper installation or application. Seller neither assumes, nor authorizes any other person to assume for it, any liability in connection with its products. Any shipping discrepancies must be reported within 30 days of receipt of shipment.

Remedy: The sole and exclusive remedy for breach of any warranty shall be limited to the repair, replacement or refund of the purchase price and seller's sole discretion. If goods are deemed to have failed by seller, seller will, at its sole discretion, replace or repair goods. When a claim is allowed, returns or replacements including disassembly and reassembly becomes the responsibility of the initial owner. Goods repaired or replaced during original warranty period will be covered by the remaining time of the original warranty period.

WANT TO **LEARN MORE?**

Get in touch with our sales team for a **free quote** and to learn how our custom solutions can **maximize your retail space!**

irsg.com • 1-800-822-4264